

Reasons for High Adsorption Efficiencies on Lead Removal from Aquatic Solution [†]

Hakan Çelebi ^{*}, Tolga Bahadır, İsmail Şimşek and Şevket Tulun

Department of Environmental Engineering, Aksaray University, Aksaray 68100, Turkey; tolgabahadir61@gmail.com (T.B.); ismailsimsek@aksaray.edu.tr (İ.Ş.); stulun@aksaray.edu.tr (Ş.T.)

^{*} Correspondence: hakancelebi@aksaray.edu.tr; Tel.: +90-382-288-35-98

[†] Presented at the 3rd International Electronic Conference on Applied Sciences; Available online: <https://asec2022.sciforum.net/>.

Abstract: Heavy metals are of great concern worldwide in terms of environmental pollution due to their effects such as persistence in the environment, bioaccumulation, and toxicity for organisms. These pollutants in non-biodegradable inorganic form are released into water, soil and air from different industrial sectors. Lead ions are also a toxic heavy metal in terms of human health and permanent in terms of the ecosystem, which is included in this pollutant group. Among the many treatment methods, adsorption is an inexpensive, eco-friendly and efficient process for removing Pb ions from water contaminated with lead ions. The most important detail that draws attention both in our research in the literature and in our own studies is that very high removal efficiencies of lead ions can be obtained with many different inorganic and organic adsorbents. Such high removal efficiencies cannot be obtained for other heavy metals and metalloids. Therefore, it was aimed to reveal the difference in the adsorption process of lead in this study. The physicochemical and biological properties of lead ion and the effects of specific properties such as amphoteric structure, free electron, post-transition metal, and the low melting temperature were investigated accordingly.

Keywords: adsorption; amphoteric structure; high removal yield; lead ion

Citation: Çelebi, H.; Bahadır, T.; Şimşek, İ.; Tulun, Ş. Reasons for High Adsorption Efficiencies on Lead Removal from Aquatic Solution. *Eng. Proc.* **2022**, *4*, x. <https://doi.org/10.3390/xxxxx>

Academic Editor(s):

Published: 1 December 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Although the restriction of anthropogenic activities during the COVID-19 pandemic process minimized the pressure on environmental pollution, the rapid normalization and growth process in the fields of energy, agriculture and industry rapidly increased environmental pollution. Pollutants that cause environmental pollution are toxic and permanent. Generally, heavy metals take the first place in the environmental toxic substances class and cause significant damage by affecting the entire ecosystem [1,2]. These damages are due to their non-biodegradability, high toxicity, and large discharges into the environment [3,4].

Lead has a toxic effect for all living groups due to its properties such as entering the food chain, being absorbed and accumulating in the tissues [5]. It is a non-biodegradable metal that can cause diseases such as cancer, anemia, kidney failure, neurological effects in humans [6–9]. In particular, Pb emissions are high as a result of industry-based anthropogenic activities (automobile industry, tetra-ethyl production, battery production, cable production, ceramics industry, gasoline) [10]. Pb is a pollutant with a high molecular weight and the most global spread compared to other heavy metals, and it is an important factor of water pollution. In this direction, Pb removal from different water environments

is one of the priority tasks of all countries in the world [11,12]. The most important reason for this priority is that Pb is one of the most stable and toxic ions in various aquatic ecosystems. Table 1 shows some specific features, sources, and permissible limit values of Pb on an international scale [13–15].

Table 1. Specific properties, sources and international limits of Pb [13–15].

Permissible Limits			
WHO	USEPA	EPA	
0.01 mg/L	0.01 mg/L	0.015 mg/L	
Properties			
Density	Atomic Weight	Heat of fusion	Heat Capacity
11.34 g/cm ³	207.2 g/mol	4.77 kJ/mol	0.13 J/g K
Electron affinity	Boiling point		Melting Point
35.1 kJ/mol	1740 °C		327.5 °C
Sources			
Metal plating, Paint, Laundry process, Mining sector, Battery manufacturing, Steel industries, Alloys, Ceramics, Plastics, Glassware			

For years, a wide variety of treatment methods have been applied to remove heavy metals from receiving environments. For example; electrochemical processes [16], chemical precipitation and coagulation [17], filtration method (membrane systems) [18,19], ion exchange [20,21] and adsorption [22,23]. Due to the disadvantages such as yield variability, high cost, large area requirement in these treatment processes, adsorption, which is a physico-chemical increase method, comes to the fore with advantages such as easy applicability, low cost, adsorbent regeneration [24]. Many types of adsorbent/biosorbent (microbial biomass, seaweeds, waste sludge, agricultural wastes, natural wastes, natural minerals, water-based wastes) have been applied to remove Pb from aqueous solutions [25].

The most important detail that draws attention both in the researches in the literature and in our own studies is that very high removal efficiencies of lead ions can be obtained with many different inorganic and organic adsorbents. Such high removal efficiencies cannot be obtained for other heavy metals and metalloids. Therefore, in this study, it was aimed to reveal the physico-chemical and biological properties of lead ion and the effects of specific properties such as amphoteric structure, free electron, post-transition metal, and low melting temperature on the adsorption process of lead in order to reveal the difference in the adsorption process of lead.

2. Materials and Methods

“Web of Science Core Collection; Science Direct, Springer, Wiley, Taylor & Francois, Scopus” (Clarivate Analytics®, Boston, USA) and “Google Scholar” (Googleplex, Mountain View, California, United States) were the databases used in this study. Bibliometric analysis was performed based on these databases.

First, a general search was performed using the keywords *“lead adsorption/biosorption”, “adsorbent/biosorbent effect”, and “high adsorption efficiencies”* in the basic search tool. For this research, the search has been narrowed down to specific In this context, the keywords *“free electron”, “amfoter structure”, “Liquid Metal”, “low melting temperature”, “weak metal”, “post-transition metal”* were researched to cover the last 4 years 40 articles were evaluated according to the field of interest of this research. In addition, the applications including the adsorption processes related to Pb purification, which were done before in the study, were carried out according to international experimental procedures [26–28].

3. Results

The most important detail that draws attention both in the researches in the literature and in our own studies is that very high removal efficiencies of lead ions can be obtained with many different inorganic and organic adsorbents. This situation is associated with some properties and factors specific to Pb.

3.1. Low Melting Liquid Metal State

Low melting point metals and post-transition metal alloys are materials with admirable properties that are described as “liquid metals” in the literature. Some specific properties of liquid metals (fluidity, flexibility, conductivity, alloying potential) are properties that do not coexist in other metals and materials. Due to these interesting properties, these metals are used in many sectors [29,30]. Mercury (Hg), gallium (Ga), rubidium (Rb), cesium (Cs) and francium (Fr) are included in this group because liquid metals are typically in liquid form at $\leq 23 \pm 2$ °C (room temperature) levels [31]. In order to increase the access and application of liquid metals, which are limited in terms of both need and use today, the room temperature definition was increased to 330 °C and post-transition metals (indium, thallium, tin, lead (Pb) and bismuth) were added to this group (Figure 1) [32,33].




Figure 1. (a) Bubble dispersions of liquid metals (such as surface layering, alloy formation) (b) Liquid metal potential: internal and external factors and possible reactions; (c) Post-transition metals (blue) in the periodic table and those considered as post-transition metals (gray and light orange) (adapted from [32]).

In terms of current needs and heavy metal pollution removal, post-transition metals (especially Pb) have different electron arrangement for metallic bonding than other metal species. This increases the polarizing ability and promotes the tendency to form covalent bonds. Electron state and liquid nature provide the ability for Pb to exhibit both metallic and non-metallic properties (surface stratification). Some non-simple properties of Pb and liquid metals are shown in Figure 1.


3.2. Post-Transition Metal and Electron Distribution

Post-transition metals are also called weak metals in the literature. Post-transition group metals are in the p block of the periodic table, and Pb is also in this group. This group, including Pb, is between metalloids and transition metals. At this point, they are denser than transition metals and less densely electro-positive than other metals (alkali and alkaline earth groups) [34,35]. The weak metals class includes aluminum, gallium, indium, tin, thallium, lead, and bismuth (see Figure 1c). As seen in Table 1, Pb is a blue-silver mixed post-transition metal with an atomic number of 82 and an atomic mass of 207.19, and has 4 stable isotopes. Although the structure of Pb is surrounded by 4 open electrons, it usually takes +2 valence instead of +4 in different structures. The other 2

electrons can simply be ionized. The 2-electron effect can be an effect factor in the adsorption process and other applications.

3.3. Amphoter/Amphoteric Structure

In the fields of Environment and Chemistry, amphoteric/amphoteric structure means that it can react with both acid and base. It means “*Ampho: both*”, and an amphoteric metal has a reversible effect like a base in an acid medium, and an acid in a basic medium [36,37]. The Brønsted-Lowry acid-base theory also confirms this. In other words, they are amphiprotic molecules that can donate or accept a proton (H^+). Amphoteric oxides consist of metal groups. Many metals (such as zinc, tin, lead, aluminum and beryllium) have the potential to form amphoteric oxides or hydroxides. In terms of Pb, the amphoteric effect may play a key role in the adsorption/biosorption processes according to the adsorbent structure.



3.4. Adsorption/Biosorption Pre-Treatment Studies

Among the many treatment methods, adsorption is an inexpensive, environmentally friendly and efficient process for removing Pb ions from water contaminated with lead ions. The most important detail that draws attention both in the researches in the literature and in the laboratory-scale pretreatment studies we have done is that very high removal efficiencies of Pb ions can be obtained with many different inorganic/organic adsorbent and biosorbent. In this case, as we mentioned in the conclusion section, it is due to some specific properties and the adsorbent/biosorbent structures (surface analysis, pore distributions) used [15,38–40].




Figure 2. Pre-treatment values for Pb made with different adsorbent/biosorbents.

4. Discussion

Adsorption and biosorption processes are methods that allow the use of different sorbents, and they are especially used in the purification of heavy metals from the aquatic ecosystem. Pb is also successfully removed from receiving water environments by these methods. The interesting point is that the removal of Pb with each sorbent is high

compared to other metals. It can be said that this depends on some specific factors or situations. We can list them as follows:

1. Active components (pectin, catechin, lignin, etc.) in the structures of adsorbents and biosorbents and functional groups (carboxyl: -COOH, amines: -NH₂, and hydroxyl: -OH) of these sorbents can show a strong interaction with Pb.
2. The amphoteric/amphoteric nature of Pb may increase the removal rate.
3. Another factor is that some of the physical properties of Pb (high density, molecular weight, etc.) are different from those of other metals.
4. Being in the liquid metal group and the free 2 electron distribution can affect the adhesion to the surface of the sorbents in the adsorption mechanism.
5. The nature of the sorbents, their amphoteric properties, the modification stages explain the bonding and sorption mechanisms with Pb.

Author Contributions: Conceptualization, methodology, formal analysis, investigation, resources, writing-original draft preparation, writing-review and editing, visualization, H.Ç., T.B., İ.Ş. and Ş.T. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement:

Informed Consent Statement:

Data Availability Statement:

Acknowledgments: This study was carried out in Aksaray University Central Library and Engineering Faculty Environmental Engineering Department.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Ali, H.; Khan, E.; Ilahi, I. Environmental chemistry and ecotoxicology of hazardous heavy metals: Environmental persistence, toxicity, and bioaccumulation. *J. Chem.* **2019**, *2019*, 6730305.
2. Bhunia, P. Environmental toxicants and hazardous contaminants: Recent advances in technologies for sustainable development. *J. Hazard. Toxic. Radioact. Waste* **2017**, *21*, 02017001.
3. Alengebaway, A.; Abdelkhalek, S.T.; Qureshi, S.R.; Wang, M.-Q. Heavy metals and pesticides toxicity in agricultural soil and plants: Ecological risks and human health implications. *Toxics* **2021**, *9*, 42.
4. Rezaei, M.; Pourang, N.; Moradi, A.M. Removal of lead from aqueous solutions using three biosorbents of aquatic origin with the emphasis on the affective factors. *Sci. Rep.* **2022**, *12*, 751.
5. Xie, Y.; Yuan, X.; Wu, Z.; Zeng, G.; Jiang, L.; Peng, X.; Li, H. Adsorption behavior and mechanism of Mg/Fe layered double hydroxide with Fe₃O₄-carbon spheres on the removal of Pb (II) and Cu (II). *J. Colloid Interface Sci.* **2019**, *536*, 440–455.
6. Yousef, R.; Qiblawey, H.; El-Naas, M.H. Adsorption as a process for produced water treatment: A review. *Processes* **2020**, *8*, 1–22.
7. Qasem, N.A.A.; Mohammed, R.H.; Lawal, D.U. Removal of heavy metal ions from wastewater: A comprehensive and critical review. *Npj Clean Water* **2021**, *4*, 36.
8. Qu, J.; Meng, Q.; Lin, X.; Han, W.; Jiang, Q.; Wang, L.; Hu, Q.; Zhang, L.; Zhang, Y. Microwave-assisted synthesis of betacyclodextrin functionalized celluloses for enhanced removal of Pb (II) from water: Adsorptive performance and mechanism exploration. *Sci. Total Environ.* **2020**, *752*, 141854.
9. Wang, L.; Lei, T.; Ren, Z.; Jiang, X.; Yang, X.; Bai, H.; Wang, S. Fe₃O₄@PDA@MnO₂ core-shell nanocomposites for sensitive electrochemical detection of trace Pb (II) in water. *J. Electroanal. Chem.* **2020**, *864*, 114065.
10. Wang, C.; Wang, X.; Li, N.; Tao, J.; Yan, B.; Cui, X.; Chen, G. Adsorption of lead from aqueous solution by biochar: A review. *Clean Technol.* **2022**, *4*, 629–652.
11. Dai, K.; Liu, G.; Xu, W.; Deng, Z.; Wu, Y.; Zhao, C.; Zhang, Z. Judicious fabrication of bifunctionalized graphene oxide/MnFe₂O₄ magnetic nanohybrids for enhanced removal of Pb (II) from water. *J. Colloid Interface Sci.* **2020**, *579*, 815–822.
12. Awual, M.R.; Hasan, M.M.; Islam, A.; Rahman, M.M.; Asiri, A.M.; Khaleque, M.A.; Sheikh, M.C. Offering an innovative composited material for effective lead (II) monitoring and removal from polluted water. *J. Clean. Prod.* **2019**, *231*, 214–223.
13. Cao, H.; Ma, X.; Wei, Z.; Tan, Y.; Chen, S.; Ye, T.; Yuan, M.; Yu, J.; Wu, X.; Yin, F.; et al. Behavior and mechanism of the adsorption of lead by an eco-friendly porous double-network hydrogel derived from keratin. *Chemosphere* **2022**, *289*, 133086.
14. Briffa, J.; Sinagra, E.; Blundell, R. Heavy metal pollution in the environment and their toxicological effects on humans. *Heliyon* **2020**, *6*, e04691.

15. Çelebi, H.; Bahadır, T.; Simsek, İ.; Tulun, Ş. An environmental and green process for Pb²⁺ pollution: An experimental research from the perspective of adsorption. *Eng. Proc.* **2022**, *19*, 20.
16. Mohanakrishna, G.; Al-Raoush, R.I.; Abu-Reesh, I.M. Integrating electrochemical and bioelectrochemical systems for energetically sustainable treatment of produced water. *Fuel* **2021**, *28*, 119104.
17. Rodriguez, A.Z.; Wang, H.; Hu, L.; Zhang, Y.; Xu, P. Treatment of produced water in the Permian basin for hydraulic fracturing: Comparison of different coagulation processes and innovative filter media. *Water* **2020**, *12*, 770.
18. Huang, L.; Wu, B.; Wu, Y.; Yang, Z.; Yuan, T.; Alhassan, S.I.; Yang, W.; Wang, H.; Zhang, L. Porous and flexible membrane derived from ZIF-8-decorated hyphae for outstanding adsorption of Pb²⁺ ion. *J. Colloid Interface Sci.* **2020**, *565*, 465–473.
19. Kárászová, M.; Bourassi, M.; Gaálová, J. Membrane removal of emerging contaminants from water: Which kind of membranes should we use? *Membranes* **2020**, *10*, 305.
20. Goyal, P.; Tiwary, C.S.; Misra, S.K. Ion exchange based approach for rapid and selective Pb (II) removal using iron oxide decorated metal organic framework hybrid. *J. Environ. Manag.* **2020**, *277*, 111469.
21. Vaudevire, E.; Radmanesh, F.; Kolkman, A.; Vughs, D.; Cornelissen, E.; Post, J.; van der Meer, W. Fate and removal of trace pollutants from an anion exchange spent brine during the recovery process of natural organic matter and salts. *Water Res.* **2019**, *154*, 34–44.
22. Hameed, A.; Hameed, B.H.; Almomani, F.A.; Usman, M.; Ba-Abbad, M.M.; Khraisheh, M. Dynamic simulation of lead(II) metal adsorption from water on activated carbons in a packed-bed column. *Biomass Convers. Biorefin.* **2022**, *in press*.
23. Kuganathan, N.; Anurakavan, S.; Abiman, P.; Iyngaran, P.; Gkanas, E.I.; Chronos, A. Adsorption of lead on the surfaces of pristine and B, Si and N-doped graphene. *Phys. B Condens. Matter* **2020**, *600*, 412639.
24. Vo, T.S.; Hossain, M.M.; Jeong, H.M.; Kim, K. Heavy metal removal applications using adsorptive membranes. *Nano Converg.* **2020**, *7*, 36.
25. Okoro, H.K.; Pandey, S.; Ogunkunle, C.O.; Ngila, C.J.; Zvinowanda, C.; Jimoh, I.; Lawal, I.A.; Orosun, M.M.; Adeniyi, A.G. Nanomaterial-based biosorbents: Adsorbent for efficient removal of selected organic pollutants from industrial wastewater. *Emerg. Contam.* **2022**, *8*, 46–58.
26. Gök, G.; Kocyigit, H.; Gök, O.; Celebi, H. The use of raw shrimp shells in the adsorption of highly polluted waters with Co²⁺. *Chem. Eng. Res. Des.* **2022**, *186*, 229–240.
27. Kayranli, B.; Gok, O.; Yilmaz, T.; Gok, G.; Celebi, H.; Seckin, I.Y.; Mesutoglu, O.C. Low-cost organic adsorbent usage for removing Ni²⁺ and Pb²⁺ from aqueous solution and adsorption mechanisms. *Int. J. Environ. Sci. Tech.* **2022**, *19*, 3547–3564.
28. Tulun, Ş.; Akgül, G.; Alver, A.; Çelebi, H. Adaptive neuro-fuzzy interference system modelling for chlorpyrifos removal with walnut shell biochar. *Arab. J. Chem.* **2021**, *14*, 103443.
29. Sun, X.; Cui, B.; Yuan, B.; Wang, X.; Fan, L.; Yu, D.; He, Z.; Sheng, L.; Liu, J.; Lu, J. Liquid metal microparticles phase change mediated mechanical destruction for enhanced tumor cryoablation and dual-mode imaging. *Adv. Funct. Mater.* **2020**, *30*, 2003359.
30. Yun, G.; Tang, S.-Y.; Sun, S.; Yuan, D.; Zhao, Q.; Deng, L.; Yan, S.; Du, H.; Dickey, M.D.; Li, W. Liquid metal-filled magnetorheological elastomer with positive piezoconductivity. *Nat. Commun.* **2019**, *10*, 1300.
31. Kalantar-Zadeh, K.; Tang, J.; Daeneke, T.; O'Mullane, A.P.; Stewart, L.A.; Liu, J.; Majidi, C.; Ruoff, R.S.; Weiss, P.S.; Dickey, M.D. Emergence of liquid metals in nanotechnology. *ACS Nano* **2019**, *13*, 7388–7395.
32. Kalantar-Zadeh, K.; Rahim, Md.A.; Tang, J. Low melting temperature liquid metals and their impacts on physical chemistry. *Acc. Mater. Res.* **2021**, *2*, 8, 577–580.
33. Daeneke, T.; Khoshmanesh, K.; Mahmood, N.; de Castro, I.A.; Esrafilzadeh, D.; Barrow, S.J.; Dickey, M.D.; Kalantar-zadeh, K. Liquid metals: Fundamentals and applications in chemistry. *Chem. Soc. Rev.* **2018**, *47*, 4073–4111.
34. Dong, J.; Zhu, Y.; Liu, Z.; Wang, M. Liquid Metal-Based Devices: Material Properties, Fabrication and Functionalities. *Nanomaterials* **2021**, *11*, 3400.
35. Zhang, M.; Yao, S.; Rao, W.; Liu, J. Transformable soft liquid metal micro/nanomaterials. *Mater. Sci. Eng. R Rep.* **2019**, *138*, 1–35.
36. Sharma, D.; Kumar, V.; Sharma, P. Synthesis, characterization and evaluation of amphoteric galactomannan derivative for the mitigation of malachite green and congo red dye from aqueous solution. *Cellulose* **2022**, *29*, 1035–1053.
37. Noohi, Z.; Nosouhian, S.; Niroumand, B.; Timelli, G. Use of low melting point metals and alloys (T_m < 420 °C) as phase change materials: A review. *Metals* **2022**, *12*, 945.
38. Çelebi, H.; Gök, G.; Gök, O. Adsorption capability of brewed tea waste in waters containing toxic lead(II), cadmium (II), nickel (II), and zinc(II) heavy metal ions. *Sci. Rep.* **2020**, *10*, 17570.
39. Gök, G.; Çelebi, H. Laboratory scale elimination of some heavy metals with hollow aluminosilicate spheres. *Int. J. Ecosys. Eco. Sci.* **2019**, *9*, 305–312.
40. Çelebi, H.; Gök, O. Evaluation of lead adsorption kinetics and isotherms from aqueous solution using natural walnut shell. *Int. J. Environ. Res.* **2017**, *11*, 83–90.