

Abstract

Fluorescent Carbon Nanodots as Sensors of Toxic Metal Ions and Pesticides †

Federico Bruno ¹, Alice Sciortino ¹, Gianpiero Buscarino ^{1,2}, Marco Cannas ¹, Franco Mario Gelardi ¹, Simonpietro Agnello ^{1,2,*} and Fabrizio Messina ^{1,2,*}

¹ Department of Physics and Chemistry, University of Palermo, Via Archirafi 36, 90143 Palermo, Italy

² Aten Center, University of Palermo, Viale delle Scienze, Edificio 18, 90128 Palermo, Italy

* Correspondence: simonpietro.agnello@unipa.it (S.A.); fabrizio.messina@unipa.it (F.M.)

† Presented at the 8th International Symposium on Sensor Science, 17–26 May 2021; Available online: <https://i3s2021dresden.sciforum.net/>.

Published: date

Abstract: Carbon nanodots (CDs) are a new class of fluorescent carbon-based nanomaterials characterized by a plethora of morphologies and sizes. Among these we can include two different types of CDs, namely graphitic and diamond like. This wide range of structures opens up the possibility to design different CDs, with tunable optical properties accordingly to the synthesis method and precursors used. We prepared two different CDs following a bottom-up approach by thermally induced decomposition of organic precursors (namely, citric acid and urea, in different molar ratio), and using purification by Size Exclusion Chromatography (SEC). Obtained CDs were characterized by Raman, absorption and fluorescence (PL) spectroscopies to understand structural and optical properties, and by atomic force microscopy (AFM) to elucidate morphology. They feature graphitic and diamond like carbon structures with highly efficient visible emission. Their sensing towards Cd, Hg heavy metals has been tested by PL experiments. We found a PL quenching in the presence of concentrations of metal salts starting from 0.5 μM and a selectivity towards the interacting ions depending on CDs structure enabling to use them for sensing. Furthermore, preliminary experiments suggest that these dots can also be used in principle as sensors of common pesticides. Considering the advantages of Carbon dots with respect to other nanomaterials, such as non-toxicity, low-cost, and easy of synthesis, we consider these results to be very promising in view of exploiting the optical response of Carbon dots to fabricate in the near future a variety of pollutant sensing devices.

Keywords: carbon dots; quenching; fluorescence; pollutants