



Bactericidal Action of Plant-Derived Lipophilic Drugs Enclosed by Marine-Derived Polymeric Films ⁺

Joana C. Antunes *, Tânia D. Tavares, Marta A. Teixeira, Marta O. Teixeira, Natália C. Homem, M. Teresa P. Amorim, Helena P. Felgueiras

Centre for Textile Science and Technology (2C2T), University of Minho, Campus de Azurém 4800-058 Guimarães, Portugal

- * Correspondence: joana.antunes@2c2t.uminho.pt
- + Presented at the 1st International Electronic Conference on Molecular Sciences: Druggable Targets of Emerging Infectious Diseases, online, 01-14 September 2021.

Academic Editor: Clemente Capasso

Published: 31 August 2021

Abstract: Chronic wounds (CW) create numerous entry ways for pathogen invasion and prosperity, further damaging host tissue and hindering tissue remodelling and repair. Essential oils (EOs) exert quick and efficient antimicrobial (AM) action, unlikely to induce bacterial resistance. Cinnamon leaf and clove oils (CLO and CO) exert strong AM activity, namely against Staphylococcus aureus and Pseudomonas aeruginosa. Chitosan (CS) is a natural and biodegradable cationic polysaccharide, also widely known for its AM features. CS and poly (vinyl alcohol) (PVA) films were prepared (ratio 30/70; 9%wt) by solvent casting and phase inversion method. Film's thermal stability and chemical composition data reinforced polymer blending and EO entrapment. Films were supplemented with 1 and 10wt% of EO in relation to total polymeric mass. Film's thickness and degree of swelling (DS) tended to increase with EO loading amount, particularly with 10wt% CLO (*p<0.05). AM testing (agar diffusion assay and time-kill kinetics) revealed that CS films alone were effective against both bacteria, and capable of eradicating all P. aeruginosa within the hour (***p<0.001). Still, loaded CS/PVA films showed significantly improved AM traits in relation to unloaded films right after 2h of contact. This study is a first proof of concept that CLO and CO can be dispersed into CS/PVA films and show bactericidal effects, particularly against S. aureus, this way paving the way for efficient CW therapeutics.

Keywords: bactericidal; chitosan; plant extracts; eugenol; blended films; wound dressings; wound healing