


Effect of concentrate moistening on feed intake of dairy cows in an automatic milking system


Alda Juliana Castro de Sousa^{1,2*}, Livia Ferreira Pinho³, Sophia Aparecida Morro Chamilete⁴, Henrique Felipe da Silva², Teresa Cristina Alves⁵, José Ricardo Macedo Pezzopane⁵, Matheus Deniz²

¹Program in Animal Science, School of Veterinary Medicine and Animal Science, University of São Paulo, R. Dr. José Barbosa de Barros, 1908-2080, Botucatu, SP, Brazil; ²Dairy Cattle Study Group, School of Veterinary Medicine and Animal Science, University of São Paulo, R. Dr. José Barbosa de Barros, 1908-2080, Botucatu, SP, Brazil; ³Institute of Veterinary Medicine, Federal University of Pará, Av dos Universitários, sn, 68746 360, Castanhal, PA, Brazil; ⁴Luiz de Queiroz School of Agriculture, University of São Paulo, Av. Pádua Dias, 13418-900, Piracicaba, SP, Brazil; ⁵Brazilian Agricultural Research Corporation, Embrapa Southeastern Livestock, Rod. Washington Luiz, km 234, 13560-970, São Carlos, SP, Brazil.


INTRODUCTION & AIM



METHOD



RESULTS & DISCUSSION




CONCLUSION

Adding water to the mash feed increased feed intake during milking in the automatic system.

ACKNOWLEDGMENTS



5. DATA ANALYSIS



FOR NON-NORMAL DATA
WILCOXON TEST
($P < 0.05$)

