

Proceedings

Information, Constraint and Meaning from Pre-biotic World to a possible Post-human one. An Evolutionary Approach. †

Christophe Menant (independent scholar), christophe.menant@hotmail.fr, Tel.: 33-0610212106

† Presented at the IS4SI 2017 Summit DIGITALISATION FOR A SUSTAINABLE SOCIETY, Gothenburg, Sweden, 12-16 June 2017.

Published data: 9 June 2017

Abstract: The presentation proposes to complement an existing development on meaning generation for animals, humans and artificial agents by looking at what could have existed at pre-biotic times and what could be a post-human meaning generation. The core of the approach is based on an existing model for meaning generation: the Meaning Generator System (MGS). The MGS is part of an agent submitted to an internal constraint. The MGS generates a meaning when it receives information that has a connection with the constraint. The generated meaning is used by the agent to implement an action (physical, biological or mental) aimed at satisfying the constraint. The action can be in or out the agent. The purpose of the presentation is to widen the MGS approach in order to reach a coverage for information, constraint and meaning from a pre-biotic level to a possible post-human one. We present the MGS for animals, humans and artificial agents with the corresponding constraints. We then look at what could have been a constraint at a pre-biotic far from thermodynamic equilibrium level. At the other end of the spectrum we look at a possible post-human status with an evolution of a 'limit anxiety' human constraint and also with AAs submitted to animal or human type constraints. Such approach links information science with physics, evolution, anthropology, semiotics and human mind. Continuations are proposed.

Keywords: information; meaning; constraint; representation; locality; evolution; pre-biotic; self-consciousness; anxiety management; post-human; ethics

1. Introduction

Information and meaning are important parts of our everyday lives. They are also part of animal lives (the presence of a cat means 'danger' for a mouse). Such a perspective can be extended to artificial agents dealing with information and meaning as derived from the designers (an obstacle has a meaning for a robot programmed to avoid it). But in all cases an important point is that meaningful information (meanings) do not exist by themselves. Putting aside metaphysical hypothesis most of us would agree that meanings are generated by agents for given purposes, for specific constraints to be satisfied. As already presented, constraints for animals can be characterized by 'stay alive' and 'live group life', and the ones for artificial agents by 'as programmed by designer' [1]. Constraints for humans are more difficult to identify because the nature of human mind is not clearly understood and also because constraints can be unconscious. Taking into account these limited understandings a system approach to meaning generation can be developed based on an agent having to satisfy an internal constraint related to its nature. This has been done with the Meaning Generator System (MGS) which is part of an agent submitted to an internal constraint. When the MGS receives information having a connection with the constraint it generates meaningful information that will be used by the agent to implement an action aimed a satisfying the constraint [2].

Some first results have been presented in an evolutionary background [1, 3] and also for artificial

agents [4]. These results have provided a first coverage of the life-human segment in terms of meaning generation for internal constraint satisfaction. We would like here to extend that segment on its both sides. First by looking at what could have been the status of a local constraint in a pre-biotic universe. And then by considering a possible post-human status characterized by a better mastering of meaning generation related to anxiety management and by the availability of artificial agents submitted to animal or human intrinsic constraints. This would allow us to draw an evolutionary approach for information, constraint and meaning from a pre-biotic level to a possible post-human one. Such approach provides a continuous thread linking information science with physics, evolution, anthropology, semiotics and human mind. More is to be done on these subjects.

2. Method

The Meaning Generator System is represented in Figure 1. It is part of an agent submitted to an internal constraint. The generated meaning is information leading the agent to implement an action satisfying the constraint in a dynamic mode. The action can be internal or external to the agent, and it can be physical, biological or mental.

The MGS is usable for basic life: the meaning ‘danger’ is generated in a mouse submitted to a ‘stay alive’ constraint when she sees a cat. That generated meaning will trigger a hide or run away action to satisfy the constraint. Application to humans is more complex as the understanding of human constraints is limited by our lack of understanding of human mind. Regarding artificial agents, the meaning generation is based on derived constraints satisfaction. The MGS can also be used with semiotics when compared to a simplified version of the Peircean Interpreter [1].




Figure 1. The Meaning Generator System (MGS)

To reach some understanding of human constraints we use an evolutionary scenario for self-consciousness that has introduced anxiety limitation as a generic human constraint [3]. The scenario is based on the evolution of meaningful representations. It presents an evolution toward an elementary form of self-consciousness (an ‘ancestral self-consciousness’) resulting from pre-human primates becoming able to represent their own entities as existing in the environment like conspecifics were represented. Such performance is assumed as having resulted from an evolution of inter-subjectivity into identification with conspecifics at pre-human times. The identification with conspecifics was also about identifications with suffering or endangered conspecifics that have produced within our ancestors a huge anxiety increase, an ‘ancestral anxiety’, having the same evolutionary origin that our ancestral self-consciousness. Anxiety limitation processes implemented to limit that anxiety increase have procured key evolutionary advantages and structured an ‘evolutionary engine’ favoring the evolution toward humans [3]. That evolutionary scenario links the

nature of human consciousness to anxiety management. The evolutionary scenario is summarized in Figure 2.




Figure 2. Meaning generation and self-consciousness
(Short version of <https://philpapers.org/rec/MENPFA-3>)

Regarding a pre-biotic universe the presence of constraints has already been addressed by other authors in terms of emergence in a far from thermodynamic equilibrium [6]. This brings to propose an extension of the life-human segment to the pre-biotic world by using a local ‘maintain status’ constraint applied to a local far from thermodynamic equilibrium status [5].

On the other side of the life-human segment we propose a possible continuation of human evolution related to anxiety management and to artificial agents carrying animal or human constraints. The evolutionary scenario has shown that anxiety management is interwoven with the nature of self-consciousness [3]. We want to consider here a possible post-human status coming from a progressive mastering of the anxiety management processes leading to a less anxious human nature.

New artificial agents are also to come as part of a post-human status. Today artificial agents are human builds up with derived constraints programmed by the human designer. Merging animal or human intrinsic constraints with the today derived ones present in AAs could introduce animal autonomy and human free will within these agents with associated ethical concerns [4]. Such an event is far from today scientific and philosophical achievements. We want to consider it as a possible post human status.

3. Results and Discussion

The above elements make available a background for an evolutionary continuity of meaningful information generation with local constraint satisfaction, starting at a pre-biotic level and going up to a possible post-human level.

The role of local/internal constraint satisfaction as a thread for the overall evolutionary process is summarized in Figure 3. It is worth noticing that the permanence in time of the constraint could bring to introduce some characteristics of life at a pre-biotic level.

on internal constraint satisfaction. The presentation goes with introducing some characteristics of life at a pre-biotic level and also highlights several points that need more developments in terms of information studies related to human evolution, to physics, to AI and to the evolution of meaning generation.

References

1. Menant, Christophe. Computation on information, meaning and representations. Proposal for an evolutionary approach. In: *INFORMATION AND COMPUTATION. Essays on Scientific and Philosophical Understanding of Foundations of Information and Computation*, Edited by G. Dodig-Crnkovic and M. Burgin. 2011, World Scientific. pp. 255-286 <https://philpapers.org/rec/MENCOI>
2. Menant, Christophe. Information and meaning. *Entropy*, 2003, 5, pp. 193-204. <http://philpapers.org/rec/MENIAM-2>
3. Menant, Christophe. Proposal for an evolutionary nature of self-consciousness. 2014 paper <https://philpapers.org/rec/MENPFA-3>
4. Menant, Christophe. Turing Test, Chinese Room Argument, Symbol Grounding Problem. Meanings in Artificial Agents. *APA Newsletter fall 2013*: <https://philpapers.org/rec/MENTTC-2>
5. Menant, Christophe. Biosemiotics, Aboutness of Meaning and Bio-intentionality. Proposal for an Evolutionary Approach. *Gatherings in Biosemiotics 2015*. <https://philpapers.org/rec/MENBAM-2>
6. Bickhard, Mark, Autonomy, Function, and Representation. *Communication and Cognition-Artificial Intelligence (2000) 17 (3-4):111-131*. <https://philpapers.org/rec/BICAFA>
7. Burgin, Mark. Is information some kind of data? *Proceedings of the Third Conference on the Foundation of Information Science (FIS 2005). Paris France. pp. 1-31*. <http://www.mdpi.net/fis2005/F.08.paper.pdf>
8. Pattee, Howard, H., Kull, Kalevi. A biosemiotic conversation: Between physics and semiotics. *Sign Systems Studies 37(1/2), 2009* <http://www.zbi.ee/~kalevi/11%20Pattee-Kull.pdf>