

Proceedings

Thermal Behaviour of Ionogels Based on Ionic Liquid- Lithium Salt Mixtures [†]

J. J. Parajó ^{1,2,*}, P. Vallet ¹, L. Fernández-Míguez ¹, M. Villanueva ¹, O. Cabeza ³, L.M. Varela ¹
and J. Salgado ^{1,*}

¹ NAFOMAT Group, Departamentos de Física Aplicada y Física de Partículas, Universidade de Santiago de Compostela, 15782 Santiago de Compostela, Spain; pablo.vallet.moreno@usc.es (P.V.); lois.fernandez.miguez@rai.usc.es (L.F.-M.); maria.villanueva@usc.es (M.V.); luismiguel.varela@usc.es (L.M.V.); j.salgado.carballo@usc.es (J.S.)

² Departamento de Química e Bioquímica, CIQUP-Centro de Investigación em Química da Universidade do Porto, Universidade do Porto, P-4169-007 Porto, Portugal

³ MESTURAS Group, Departamento de Física y Ciencias de la Tierra. Universidade da Coruña, 15071 A Coruña, Spain; oscabe@udc.es

* Correspondence: juan jose.parajo@usc.es (J.J.P.); j.salgado.carballo@usc.es (J.S.)

Published: date

Abstract: The thermal behaviour of the mixtures of two protic ionic liquids (ethylammonium nitrate (EAN) and ethylimidazolium nitrate ([EIm][NO₃])) with lithium nitrate salt ([Li][NO₃]) and one aprotic ionic liquid (butylmethylpyrrolidinium bis(trifluoromethylsulfonyl)imide ([BMpyrr][TFSI]) with lithium bis(trifluoromethylsulfonyl)imide salt ([Li][TFSI]) at different concentrations was studied in this work using a Differential Scanning Calorimeter (DSC- Q2000-TA Instruments). Comparisons with the thermal behaviour of silica based ionogels of these mixtures were also performed.

Keywords: DSC; ionogel; mixture; inorganic salts

1. Introduction

The need for efficient batteries for transport, power and industrial applications is growing fast during last years. In this field, ionic liquids (ILs) exhibit a unique combination of physicochemical properties, such as high electrochemical stability, broad liquid range, high conductivity, compatible with electrode materials and neither flammable nor volatile that make them ideal candidates for electrolyte and energy storage applications and amazing results have been shown in applications such as super-capacitors, Li-ion batteries, dye sensitized solar cells, sensor materials and metal plating processes, offering the possibility of enhanced safety and stability [1]. ILs and inorganic salts mixtures are behind a new generation of active media for, as, for example, electrolytes in lithium batteries [2–4].

Nevertheless, the liquid nature of ILs can cause some difficulties, such as packaging, leakage, and movability and, one way to avoid the fluidic problem is to confine ILs in nanoporous matrix achieving the optimal mechanical properties without losing the ILs particular properties. The incorporation of ILs into the pore structure, nanoconfined ILs, with improved mechanical properties and ionic conductivity, constitutes a new class of hybrid materials with the intrinsic properties of ILs and the original functions of a solid matrix [5,6].

The experimental studies of nanoconfined ILs are still an important challenge related to ILs in the bulk phase. In this work changes on the thermal behaviour of three ILs as consequence of lithium salt addition and as consequence of confinement of these mixtures on silica scaffold were studied using Differential Scanning Calorimetry (DSC), which is a technique able to measure the amount of

heat absorbed, or released, during the different transitions taking place in temperature interval; mainly, melting point (first-order endothermic phase-transition temperature), crystallization temperature (the first-order exothermic phase-transition temperature) and glass transition temperature (the second-order transition).

2. Materials and Methods

Chemicals



The Ionic Liquids selected for this work, Ethylammonium nitrate (EAN), Ethylimidazolium Nitrate ([EIm][NO₃]) and 1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide ([BMpyr][TFSI]) were purchased from IOLITEC and lithium salts with the same anion were provided by Merck. Solutions of IL + lithium salt, in different concentrations, in the molality range from 0.1 mol kg⁻¹ up to the saturation limit, were prepared. Table 1 shows the identification, chemical structure, purity and provenance of the chemicals used for this work. Ionic liquids sample were dried under high vacuum for a minimum of 48 h. Residual amount of mass water was tested with a Karl Fischer titrator, and this content was shown to be less than 100 ppm. The different solutions of the salts were prepared by mixing both components with the help of an ultrasound bath during 24 to 48 h.





Gelation routes

Two different routes of silica based gelation of the mixtures of EAN + salt were performed in this work:

1. Formic acid route: Gelation process has been performed by slightly modifying the methodology of Negre et al. [7]. Essentially, a solid ionogel-based electrolyte was synthesized using two different sol-gel agents: TEOS (TetraethylorthoSilicate) under acidic conditions (Formic acid, FA) in a volumetric ratio TEOS:FA 1:2 mL. The reactants were mixed together under moderate stirring (300 rpm) at 40 °C during 18 min. Finally, the addition of 4 mL of liquid mixture of IL+salt, previously prepared following the methodology described above were added. The resulting solution was stored in sealed containers and kept at room temperature until fully gelified, approximately for a week.
2. Ethanol route: This method is based on a methodology previously reported by other authors [6,8]. A mixture of 3 mL of ethanol + 0.428 mL of TEOS + 1 mL of pure IL or IL+salt mixture was done. These mixtures were stirred for 1 h and, before gelation, transferred to adequate vials for 1–2 h to let the excess ethanol evaporate and finally were maintained at 40 °C (lower than that in previous references since we have observed some fraction of cracking in our samples at higher temperatures) in an oven until full gelation (one week).

Table 1. Identification of compounds selected for this work, ionic liquids and metal salts: Names, Molecular mass of pure salts and IL, Identification CAS number, Chemical structure, mass fraction purity, Provenance and water content mass.

Name Molecular Mass (g·mol ⁻¹)	Abbreviation CAS Number	Chemical Structure	Purity Provenance
Ethylammonium Nitrate 108.10	EAN 22113-86-6		>0.999 Iolitec
Ethylimidazolium Nitrate 159.14	[EIm][NO ₃] 501693-38-5		>0.999 Iolitec

1-butyl-1-methylpyrrolidinium bis[(trifluoromethyl)sulfonyl]imide 422.41	[BMpyr][TFSI] 223437-11-4		>0.99 Iolitec
Lithium Nitrate 68.946	[Li][NO ₃] 7790-69-4	Li ⁺ 	>0.999 Merck
Lithium bis[(trifluoromethyl)sulfonyl]imide 287.09	[Li][TFSI] 90076-65-6		>0.999 Merck
Tetraethyl orthosilicate 208.33	TEOS 78-10-4		>0.999 Sigma Aldrich

Experimental procedure

A differential scanning calorimeter (DSC Q1000 TA-Instruments) with hermetically sealed aluminum pans was used to determine the different state transitions experimented by the pure IL and salt solutions during heating and cooling cycles. All the samples, with mass between 5 and 8 mg, were subjected to the following cooling and heating ramps: (a) heating from 25 to 120 °C at 10 °C min⁻¹, (b) isothermal step at 120 °C during 45 min to remove impurities [9] and to erase the thermal history of the sample, (c) cooling from 120 to -85 °C at 5 °C min⁻¹, (d) isothermal step at -85 °C during 5 min and (e) heating from -85 to 100 °C at 5 °C min⁻¹ and (f) cooling from 100 to -85 °C at 5 °C min⁻¹.

Transitions temperatures were determined from the DSC curves, as the onset points of the different peaks, during the reheating and recooling steps following the methodology used in previous papers [10].

3. Results and Discussion

The cooling and heating ramps at 5 °C min⁻¹ of DSC curves in nitrogen atmosphere of pure ionic liquids are presented in Figure 1. These ILs presents a strong tendency for forming crystals in these conditions, although some important differences can be found in the behaviours of these ILs. An endothermic peak related with the melting process can be observed in all of them, although whereas [EIm][NO₃] presents unique peaks in heating ramp (endothermic melting at 35 °C) and in cooling ramp (exothermic peak associated to crystallization process at -20 °C), EAN shows two exothermic peaks, one in cooling ramp (crystallization at -27 °C) and other one in heating ramp (cold crystallization at -44 °C) and no peaks are observed in cooling ramp of [BMPyr][TFSI] and two cold crystallization peaks (exothermic) at -57 and -28 °C are observed in heating ramp, highlighting the different tendency of these ILs to crystallize in spite of the fact that no evidence of amorphous phase has been observed in liquid form.




Figure 1. DSC curves at 5 °C min⁻¹ of the pure ionic liquids selected for this work.

3.1. Effect of the Salt Addition

Figure 2 shows the heating ramps at 5 °C min⁻¹ of DSC curves of the IL + lithium salt at different concentrations. Results showed that, for both protic ILs, the melting transition shifts to lower temperatures upon salt addition, being these peaks broader and lower as salt concentration increases, and even for the saturated concentration of all salts no evidence of crystalline behaviour can be observed as shown by the absence of any melting peak, accompanied with the appearance of glass transition at very low temperatures [4]. Nevertheless the aprotic IL shows different behaviour with the salt addition, the lowest concentration also shifts melting temperature to lower values, nevertheless the melting temperature increase and the heat associated to this peak decreases for the other concentrations with the salt addition. Moreover, a glass transition is also observed at -53 °C (see Figure 3) for the saturation concentration. These observation agrees with the results of Martinelli et al. [11] who pointed out the existence of more than one phase for high concentrations of salt in this mixture.




Figure 2. DSC curves at $5\text{ }^{\circ}\text{C min}^{-1}$ in heating ramps of the pure ionic liquids and mixtures with the corresponding lithium salt.




Figure 3. DSC curve of the saturated mixture $[\text{BMPyrr}][\text{TFSI}] + \text{LiTFSI}$.

3.2. Effect of Gelation

Figure 4 shows the heating ramps at $5\text{ }^{\circ}\text{C}$ of the DSC curves of the ionogels prepared from the previous mixtures of IL+salt at different concentrations; PILs ionogels were made using the ethanol route and the APILs ionogel was done by formic acid route.

The confinement of the ionic liquid in the silica matrix has a dramatic effect on DSC curves, with the disappearance of the melting and crystallization peaks, especially in EAN and [BMPyrr][TFSI] mixtures with the lithium salts, even though the confinement did not affect the glass transition clearly visible in mixtures with the highest concentration of salt.

[EIm][NO₃] + salt mixtures ionogels present some small endothermic and/or exothermic peaks in DSC curves that indicate the presence of crystallization and melting of a small part of the sample. This behaviour is also observed by other authors who associate these discrepancies between gels to different pore size in the silica scaffold, small pore size avoids completely the crystallization of the sample confined whereas if this size increases the sample (or part) can crystallize inside the silica network [12].




Figure 4. DSC curves at 5 °C min⁻¹ in heating ramps of the gel samples of pure ionic liquids and mixtures with the corresponding lithium salt.

4. Conclusions

The thermal behaviour of the mixtures of two protic ionic liquids, EAN and [EIm][NO₃], with lithium nitrate salt and one aprotic ionic liquid, [BMpyrr][TFSI], with lithium bis(trifluoromethylsulfonyl)imide salt was studied in this work in liquid and silica based ionogels forms. Results show that the addition of the salt enlarges the amorphous phase of the fluid especially for both protic ionic liquids and lithium nitrate mixtures. With regards to the confinement of the mixture on the silica network, one of the most remarkable effects is that thermal behavior of ionogel does not show the first-order transitions, due to the small available space for the IL crystallization, although as it happens in [EIm][NO₃]+LiNO₃ mixtures, gel sample also shows similar peaks than liquid samples but widened and shifted to lower temperatures. These differences are related to the volume of the pore wall of the ionogel.

Author Contributions: Conceptualization, J.S.; methodology and data, J.J.P., P.V.M., L.F.-M.; software, J.J.P., P.V.M., L.F.-M., J.S.; writing—original draft preparation, J.J.P., J.S., M.V.; funding acquisition, J.S., O.C., M.V. and L.M.V. All authors have read and agreed to the published version of the manuscript.

Funding: This work was supported by Spanish Ministry of Economy and Competitiveness and FEDER Program through the projects MAT2014-57943-C3-1-P, MAT2014-57943-C3-3-P, MAT2017-89239-C2-1-P as well as by Xunta de Galicia through GRC ED431C 2020/10 project and the Galician Network of Ionic Liquids (ReGaLIs) ED431D 2017/06. P. Vallet and J. J. Parajó thank funding support of FPI Program from Spanish Ministry of Science, Education and Universities and I2C postdoctoral Program of Xunta de Galicia, respectively.

Acknowledgments: Authors acknowledge the assistance of M. Gómez of the RIAIDT- USC in the DSC analysis.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. MacFarlane, D.R.; Tachikawa, N.; Forsyth, M.; Pringle, J.M.; Howlett, P.C.; Elliott, G.D.; Davis, J.H.; Watanabe, M.; Simon, P.; Angell, C.A. Energy applications of ionic liquids. *Energy Environ. Sci.* **2014**, *7*, 232–250, doi:10.1039/C3EE42099J.
2. Menne, S.; Pires, J.; Anouti, M.; Balducci, A. Protic ionic liquids as electrolytes for lithium-ion batteries. *Electrochem. Commun.* **2013**, *31*, 39–41, doi:10.1016/j.elecom.2013.02.026.
3. Matveev, V.V.; Ievlev, A.V.; Vovk, M.A.; Cabeza, O.; Salgado-Carballo, J.; Parajó, J.J.; Rodríguez, J.R.; Fuente, R. de la; Lähderanta, E.; Varela, L.M. NMR investigation of the structure and single-particle dynamics of inorganic salt solutions in a protic ionic liquid. *J. Mol. Liq.* **2019**, *278*, 239–246, doi:10.1016/j.molliq.2019.01.010.
4. Salgado, J.; Parajó, J.J.; Villanueva, M.; Rodríguez, J.R.; Cabeza, O.; Varela, L.M. Liquid range of ionic liquid – Metal salt mixtures for electrochemical applications. *J. Chem. Thermodyn.* **2019**, *134*, 164–174, doi:10.1016/j.jct.2019.03.012.
5. Zhang, S.; Zhang, J.; Zhang, Y.; Deng, Y. Nanoconfined Ionic Liquids. *Chem. Rev.* **2017**, *117*, 6755–6833, doi:10.1021/acs.chemrev.6b00509.
6. Noor, S.A.M.; Bayley, P.M.; Forsyth, M.; MacFarlane, D.R. Ionogels based on ionic liquids as potential highly conductive solid state electrolytes. *Electrochim. Acta* **2013**, *91*, 219–226, doi:10.1016/j.electacta.2012.11.113.
7. Negre, L.; Daffos, B.; Turq, V.; Taberna, P.L.; Simon, P. Ionogel-based solid-state supercapacitor operating over a wide range of temperature. *Electrochim. Acta* **2016**, *206*, 490–495, doi:10.1016/j.electacta.2016.02.013.
8. Garaga, M.N.; Aguilera, L.; Yaghini, N.; Matic, A.; Persson, M.; Martinelli, A. Achieving enhanced ionic mobility in nanoporous silica by controlled surface interactions. *Phys. Chem. Chem. Phys.* **2017**, *19*, 5727–5736, doi:10.1039/c6cp07351d.

9. Gómez, E.; Calvar, N.; Domínguez, Á. Thermal behaviour of pure Ionic Liquids. In *Ionic Liquids- Current State of the Art*; Scott Handy, Ed.; INTECH: 2012; pp. 135–152. ISBN 9789533070520.
10. Villanueva, M.; Parajó, J.J.; Sánchez, P.B.; García, J.; Salgado, J. Liquid range temperature of ionic liquids as potential working fluids for absorption heat pumps. *J. Chem. Thermodyn.* **2015**, *91*, 127–135, doi:10.1016/j.jct.2015.07.034.
11. Martinelli, A.; Matic, A.; Jacobsson, P.; Börjesson, L.; Fernicola, A.; Scrosati, B. Phase behavior and ionic conductivity in LiTFSI doped ionic liquids of the pyrrolidinium cation and TFSI anion. *J. Phys. Chem. B* **2009**, *113*, 11247–11251.
12. Le Bideau, J.; Viau, L.; Vioux, A. Ionogels, ionic liquid based hybrid materials. *Chem. Soc. Rev.* **2011**, *40*, 907–925, doi:10.1039/c0cs00059k.

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).