

Lensless hyperspectral phase retrieval via alternating direction method of multipliers and spectral proximity operators

Igor Shevkunov*, Vladimir Katkovnik, and Karen Egiazarian

Computational imaging group, Faculty of Information Technology and Communication Sciences, Tampere University, Tampere, Finland

* Correspondence: igor.shevkunov@tuni.fi

Abstract: We propose a hyperspectral broadband phase retrieval technique with spectrally varying object and modulation phase masks. The technique is based on a complex domain version of the alternating direction method of multipliers (ADMM) and the Spectral Proximity Operators derived for Gaussian and Poisson intensity observations, which are considered as a sum of separate spectral diffractive patterns. The proximity operators filter noisy observations compromising between noisy intensity observations and their predicted counterparts and retrieve the complex-domain spectral components of the object from these filtered observations. The simulation and physical tests confirm that the broadband hyperspectral phase retrieval in the proposed formulation is resolved.

Keywords: Hyperspectral imaging; sparse representation; noise filtering; phase imaging.

1. Introduction

Hyperspectral imaging (HSI) is a well-known technique for spectral observations. It is used in various applications, e.g., earth surface remote sensing [1], medical and bio-medical diagnostics [2]. HSI retrieves information based on images obtained across a wide spectrum range with hundreds to thousands of spectral channels. These images are stacked in 3D cubes, where the first two dimensions are spatial coordinates, and the third dimension is a spectral channel, represented by either wavenumber or wavelength.

Phase HSI is a special class of HSI where images of interest are complex-valued, and both phase and amplitude are visualized. It is a promising technique because the amount of retrieved information is doubled compared to real-valued HSI. It goes directly from the nature of complex-domain imaging, where each image is complex-valued with phase and amplitude. Phase brings information about the light delay refracted/transmitted from/through an object. This delay might be recalculated into valuable information, e.g., dry mass [3], refractive index [4], or thickness [5].

Recently, HS digital holography has been developed, which, additionally to conventional holography, is able to recover spectrally resolved phase/amplitude information (e.g. [6,7]). In our previous papers [8–10], the phase HSI formulation was done for the observation model provided that the parametric model of the object is known and has been used for phase delay recalculation between spectral channels. As a result, the HS absolute phases of the object are reconstructed. In papers [8–10] we use an observation model where separate diffraction patterns are registered for separate wavelengths and masks. More close papers are [11,12] where we base our algorithms on the Fourier spectroscopy. In [11] we use the model for the object with the connection between the spectral phases through the thickness. However, the proposed new model for phase HSI is different from the Fourier spectroscopy approach as it does not use any instruments for spectral analysis such as the harmonic reference beams and precise scanning phase delay stages [6,7]. The spectral resolution for our approach is based on the diversity of spectral properties of the image formation operators and masks [13].

Citation: Shevkunov, I.; Katkovnik, V.; Egiazarian, K. Lensless hyperspectral phase retrieval via alternating direction method of multipliers and spectral proximity operators. *Proceedings* 2023, 1, 0. <https://doi.org/>

Published:

Copyright: © 2023 by the authors. Submitted to *Proceedings* for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

In this paper, we consider the formulation of the HS phase retrieval for a spectrally varying object from intensity observations (1)-(2) with spectrally varying image formation operators. The developed algorithm is derived from the variational formalization of the problem based on the alternating-direction method of multipliers (ADMM) for complex-valued variables and the novel Spectral Proximity Operators obtained for Gaussian and Poisson observations. Computations for these operators are reduced to the solution of the sets of cubic (for Gaussian observations) and quadratic (for Poisson observations) algebraic equations. The model of an object $U_{o,k}$ is unknown and is not exploited in the algorithm.

2. Hyperspectral phase imaging

To solve the lensless phase retrieval problem, we utilize random phase masks $\mathcal{M}_{t,k} \in \mathbb{C}^{T \times N}$ which, along with propagation operator $A_{t,k}$, encode information about an object $U_{o,k}$ into the observations Y_t [14]:

$$Y_t = \sum_{k \in K} |A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})|^2, \quad t = 1, \dots, T, \quad (1)$$

where $Y_t \in \mathbb{R}^N$, and $A_{t,k} \in \mathbb{C}^{K \times N}$ is an image formation operator modeling propagation of 2D object images from the object plane to the sensor, 'o' stands for the element-by-element product of two vectors. For the object of interest, it is the vector $U_{o,k} \in \mathbb{C}^{K \times N}$, $N = nm$, where n and m are width and height of 2D image; k stays for the spectral variable. The HS phase retrieval is a reconstruction of a complex-valued object $U_{o,k} \in \mathbb{C}^{K \times N}$, $k \in K$, from these intensity measurements Y_t (1). For essential noisy observations with additive noise ε_t , observations Y_t are complemented by noise ε_t :

$$Z_t = Y_t + \varepsilon_t, \quad t \in T. \quad (2)$$

The total intensity measurements $Y_t \in \mathbb{R}^N$ are calculated over the spectrum K as the sum of the spectral intensities.

2.1. HS phase retrieval solution (HSPhR)

Traditionally, the solution $U_{o,k}$ is found by measuring the mismatch between the observations and the prediction of the intensities of $U_{t,k}$ summarized over the spectral interval. We realize it through a neg-log-likelihood of the observed $\{Z_t\}$, $t \in T$, as $l(\{Z_t\}, \sum_{k \in K} |U_{t,k}|^2)$, where $U_{t,k}$ are the complex-valued object wavefronts at the sensor plane calculated as $U_{t,k} = A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})$. Here and in what follows, the curved brackets are used as an indication of a set of variables. We introduce an unconstrained maximum likelihood optimization to reconstruct the object 3D cube $\{U_{o,k}\}$, $k \in K$, from the criterion of the form:

$$\min_{\{U_{o,k}\}} l(\{Z_t\}, \sum_{k \in K} |A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})|^2) + f_{reg}(\{U_{o,k}\}), \quad (3)$$

where a second summand is an object prior. We solve it by alternating direction method of multipliers (ADMM) [15–18]. Next, equation (3) is reformulated as a constrained optimization:

$$\begin{aligned} \min_{\{U_{t,k}, U_{o,k}\}} & l(\{Z_t\}, \sum_{k \in K} |U_{t,k}|^2) + f_{reg}(\{U_{o,k}\}), \\ \text{w.s.t. } & U_{t,k} = A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}). \end{aligned} \quad (4)$$

We resolve (4) by the unconstrained formulation with the parameter $\gamma > 0$:

$$J = l(Z_t, \sum_k |U_{t,k}|^2) + \frac{1}{\gamma} \sum_{t,k} \|U_{t,k} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})\|_2^2 + f_{reg}(\{U_{o,k}\}). \quad (5)$$

The second summand is the quadratic penalty for the difference between $A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})$ and the splitting $U_{t,k}$. In optimization of (5), $U_{t,k} \rightarrow A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})$ as $\gamma \rightarrow 0$. The minimization algorithm iterates $\min_{\{U_{t,k}\}} J$ with given $U_{o,k}$ and $\min_{\{U_{o,k}\}} J$ with given $U_{t,k}$:

$$U_{t,k}^{(s+1)} = \arg \min_{U_{t,k}} (l(Z_t, \sum_k |U_{t,k}|^2) + \frac{1}{\gamma} \sum_{t,k} \|U_{t,k} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})^{(s)}\|_2^2), \quad (6)$$

$$U_{o,k}^{(s+1)} = \arg \min_{U_{o,k}} (f_{reg}(\{U_{o,k}\}) + \frac{1}{\gamma} \sum_{t,k} \|U_{t,k}^{(s+1)} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})\|_2^2). \quad (7)$$

For the iterative solution of (6) and (7) we introduce the Lagrangian variables $\Lambda_{t,k}$ [19]:

$$\begin{aligned} U_{t,k}^{(s+1)} &= \arg \min_{U_{t,k}} J(\{U_{t,k}, U_{o,k}^{(s)}, \Lambda_{t,k}^{(s)}\}), \\ U_{o,k}^{(s+1)} &= \arg \min_{U_{o,k}} J(\{U_{t,k}^{(s+1)}, U_{o,k}, \Lambda_{t,k}^{(s)}\}), \\ \Lambda_{t,k}^{(s+1)} &= \Lambda_{t,k}^{(s)} - \frac{1}{\gamma} (U_{t,k}^{(s+1)} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}^{(s+1)})), \end{aligned} \quad (8)$$

where s is the iterative variable.

Minimizing (7) on $U_{o,k}$ we replace the regularization term $f_{reg}(\{U_{o,k}, k \in K\})$ with noise suppression in $\{U_{o,k}, k \in K\}$. It is done by Complex Cube Filter (CCF) [20] developed specifically for 3D hyperspectral complex-domain images. Then, the solution for $U_{o,k}$ is of the form

$$U_{o,k} = \frac{\sum_t A_{t,k}^H \mathcal{M}_{t,k}^H (U_{t,k} - \Lambda_{t,k})}{\sum_t A_{t,k}^H A_{t,k} + reg}, \quad (9)$$

where the regularization parameter $reg > 0$ is included if $\sum_t A_{t,k}^H A_{t,k}$ is singular or ill-conditioned.

Minimization on $U_{t,k}$ (6) depends on the noise type in observations $\{Z_t\}$. We consider two types of noise: Poisson and Gaussian. For the Gaussian noise, the loss function is:

$$J = \frac{1}{\sigma^2} \sum_t \|Z_t - \sum_k |U_{t,k}|^2\|_2^2 + \frac{1}{\gamma} \sum_{t,k} \|U_{t,k} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) - \Lambda_{t,k}\|_2^2. \quad (10)$$

And for the Poisson noise, considering its multiplicative nature, the loss function is the following.

$$\begin{aligned} J &= \sum_t (\chi \sum_k |U_{t,k}|^2 - Z_t \log(\sum_k |U_{t,k}|^2 \chi)) + \\ &+ \frac{1}{\gamma} \sum_{t,k} \|U_{t,k} - A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) - \Lambda_{t,k}\|_2^2 + f_{reg}(\{U_{o,k}\}_{k \in K}), \end{aligned} \quad (11)$$

where $\chi > 0$ is a scaling parameter for photon flow, it is proportional to the camera exposure time and defines the noise level of a signal. The signal-to-noise ratio $E\{Z_t\}^2 / var\{Z_t\} = Y_t \chi$ takes larger values for larger χ .

For minimization $\min_{\{U_{t,k}\}} J$, we calculate the derivatives $\partial J / \partial U_{t,k}^*$ and consider the necessary minimum conditions $\partial J / \partial U_{t,k}^* = 0$. These calculations lead to a set of complex-valued cubic equations with respect to $U_{t,k}$ for Gaussian observations (10):

$$\left[\frac{2}{\sigma^2} (\sum_{k \in K} |U_{t,k}|^2 - Z_t) + \frac{1}{\gamma} \right] U_{t,k} = \frac{1}{\gamma} (A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) + \Lambda_{t,k}). \quad (12)$$

With a solution in the form

$$\hat{U}_{t,k} = \frac{A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) + \Lambda_{t,k}}{1 + \frac{2\gamma}{\sigma^2} (\sum_{k \in K} |\hat{U}_{t,k}|^2 - Z_t)}. \quad (13)$$

For Poisson observations (11), minimization leads to the set of non-linear equations with respect to $U_{t,k}$:

$$\left[\chi - \frac{Z_t}{\sum_{k \in K} |U_{t,k}|^2} + \frac{1}{\gamma} \right] U_{t,k} = \frac{1}{\gamma} (A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) + \Lambda_{t,k}). \quad (14)$$

With a solution in the form

$$\hat{U}_{t,k} = \frac{A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) + \Lambda_{t,k}}{1 + \gamma\chi + \frac{\gamma Z_t}{\sum_{k \in K} |U_{t,k}|^2}}, k \in K. \quad (15)$$

Both Gaussian and Poisson solutions for $\min_{\{U_{t,k}\}} J$ can be interpreted as the spectral proximity operators (SPO) obtained minimizing the likelihood items regularized by the quadratic penalty:

$$\hat{U}_{t,k} = \text{prox}_{f\gamma}(A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k}) + \Lambda_{t,k}), \quad (16)$$

where f stays for the minus-log-likelihood part of J and $\gamma > 0$ is a parameter.

These operators solve two problems: First, they extract and separate complex-valued spectral components $U_{t,k}$ from the real-valued observations Z_t , in which these components are mixed into the total intensity of the signal. Thus, it provides the spectral analysis of the signals. Second, the noisy observations Z_t are filtered with the power controlled by the parameter γ compromising Z_t and the power of the predicted signal $A_{t,k}(\mathcal{M}_{t,k} \circ U_{o,k})$ at the sensor plane. For a detailed derivation of the solutions, follow the pioneering paper [13].

2.2. Developed algorithm

A block scheme of the algorithm is shown in Fig.1. Complex domain initialization (Step 1) is required for the considered spectral domain $k \in K$. In our experiments, we make a 2D random white-noise Gaussian distribution for phase and a uniform 2D positive distribution on (0,1] for amplitude, which are independent for each k . The Lagrange multipliers are initialized by zero values, $\Lambda_{t,k} = 0$. The forward propagation is realized through the angular spectrum approach and produced for all $k \in K$ and $t \in T$ (Step 2). The update of the wavefront at the sensor plane (Step 3) is produced by the proximal operators (SPO). For the Gaussian observations, this operator is defined by (13), and for the Poisson observations – by (15). Calculating $\sum_{k \in K} |\hat{U}_{t,k}|^2$ requires solving the polynomial equations, cubic or quadratic, for the Gaussian and Poisson cases, respectively. In Step 4, the Lagrange variables are updated. The backward propagation of the wavefront from the sensor plane to the object plane is combined with an update of the spectral object estimate in Step 5. The sparsity-based regularization by Complex Cube Filter (CCF) [20] is relaxed by the weight-parameter $0 < \beta < 1$ at Step 6. The iteration number is fixed to n .

3. Numerical experiments

Simulation experiments are produced for the complex-valued wavefronts obtained from the propagation of an HS light beam through a thin transparent object. We define the phase delay of the object as:

$$\phi_k = \frac{\phi \cdot \lambda_1}{\lambda_k} \frac{n_{\lambda_k} - 1}{n_{\lambda_1} - 1}, k \in [1 : K] \quad (17)$$

where λ_k is a wavelength of the wavefront ($\Lambda = 550 - 950$ nm) with total number of wavelengths $K = 100$, ϕ is a basic phase distribution, and n_{λ_k} is the refractive index of

the optical material of the object. We took the phase distribution for ϕ as a vortex beam phase in the range of $[-\pi, \pi]$ and amplitude as a logo of Tampere University in the range of $[0, 1]$, see Fig.2. Spectral amplitude dependence is modeled in accordance with the spectrum of a supercontinuum white laser (see Fig.6), providing a non-uniform spectral distribution. This non-uniformity strongly complicates the reconstruction process because of low-intensity spectral components.

A dependence of the algorithm accuracy on the wavelength number K and the number of observations T is of special interest. The noise level in the observations is characterized by the signal-to-noise ratio (SNR) in dB. We evaluate the precision of the complex-valued reconstruction by the relative error criterion[21]:

$$ERROR_{rel} = \min_{\varphi \in [0, 2\pi)} \frac{\|\hat{x} \circ \exp(j\varphi) - x\|_2^2}{\|x\|_2^2}, \quad (18)$$

where x and \hat{x} are the true signal and its estimate. If $ERROR_{rel}$ is less than 0.1 the quality of imaging is high. We calculate $ERROR_{rel}$ for $K = [6, 20, 60, 100]$ and $T = [18, 60, 180, 300]$. The wavelengths for the varying K (spectral channels) are defined as uniformly covering the interval $[550, 950]$ nm. The number of iterations is fixed to $n = 200$. The relative errors $ERROR_{rel}$ obtained in these experiments are shown in Fig.3(a). It is shown that $ERROR_{rel}$ is low for the high number of masks, T , and for high-quality imaging, the needed number of masks equals the doubled number of wavelengths. Therefore, for the simulation case of $K = 100$ we took $T = 200$.




Figure 1. HSPhR algorithm. The total number of iterations is n .




Figure 2. Modeled amplitude and basic phase ϕ of the HS object.

In Fig.3(b) we show $ERROR_{rel}$ dependence on SNR and wavelength with $K = 6$ and $T = 18$. It is seen that for noise levels with SNR bigger than 30 dB $ERROR_{rel}$ is low and indicates high-quality imaging. It is interesting to note that for high noise levels (SNR < 30 dB) the shape of $ERROR_{rel}$ corresponds to the inverted spectral distribution of the modeled illumination: the spectral components with higher values (middle of the spectrum) provide lower $ERROR_{rel}$ than the spectral components with low values.

In Fig.4 we show a contour $ERROR_{rel}$ map for the HSPHR algorithm for all spectral components (Y-axis) during iterative calculations (X-axis for iteration number). High-quality imaging regions ($ERROR_{rel} < 0.1$) are dark blue on the map with signed contours '0.1'. At a low number of iterations, high-quality imaging appears at only high-intensity spectral components, but with the growing number of iterations, it spreads to low-intensity spectral components. The corresponding reconstruction results after the last iteration ($n = 200$) are presented in Fig.5, where object phase and amplitude are spectrally resolved and correspond to the modeled object from Fig.2.

4. Experimental validation

For the experimental validation, we used a setup with a phase-only spatial light modulator (SLM) and supercontinuum laser source, see Fig.6. A sum of the object $U_{o,k}$ and masks $M_{t,k}$ was imaged on SLM, and projected to the 'Object' plane by achromatic lenses 'L₃' and 'L₄'. The light wavefront then propagates freely on distance $d = 2.2$ mm from the 'Object' plane to 'CMOS,' where it is registered as a noisy intensity distribution, Z_t , with $t \in [1, T]$. According to the simulation results, the mask spatial distribution was modeled as piecewise invariant random with equal probabilities taking one of the following five values $[0, 1, 0, 0.25, 0.75] \cdot \pi$, for the $\lambda = 520$ nm. The object was taken as an image of a cameraman with 64×64 pixels, phase images of a mask and object are in Fig.7. SLM is the Holoeye phase-only GAEA-2-vis panel, resolution 4160×2464 , pixel size $3.74 \mu\text{m}$. The laser is YSL photonics CS-5 with $\Lambda = 470 \div 2400$ nm. To work in the spectral range of the sensor, we limit the laser's spectral bandwidth to the $\Lambda = 470 \div 1000$ nm range by




Figure 3. HSPHR reconstruction relative error maps. (a) Mean relative errors depending on the number of masks, T , and the number of wavelengths, K . A number of iterations $n = 200$, SNR=54 dB. (b) Dependence of relative errors on the SNR and wavelength.




Figure 4. Contour $ERROR_{rel}$ map for HSPhR reconstruction. $K = 100$, $T = 200$, SNR=54 dB. Dark blue regions correspond to high-quality imaging.

a bandpass filter. The camera is a monochrome Blackfly S board with the matrix Sony IMX264, $3.45 \mu\text{m}$ pixels, and 2448×2048 pixels.

Reconstruction results are presented in Fig.8, which we made from $T = 300$ observations and for $K = 100$ wavelengths. The number of observations is taken $T = 300$ to overcome noise problems since the estimated [22] SNR of observations equals 34 dB, which is close to the lower limit of HSPhR, estimated in the simulations. Reconstructed amplitude intensities correspond to the spectral distribution of the used laser with a maximum at $\lambda = 750 \text{ nm}$, and phase images correspond to the given cameraman image. Image quality varies from low to high with respect to the intensity distribution of spectral components.




Figure 5. Reconstructed amplitudes(a) and phases (b) of the object in simulations. Reconstruction is performed for $K = 100$ wavelengths with $T = 200$ masks and after $n = 200$ iterations. The wavelength value is written in each image of the amplitude and corresponds to phase images with the same location.




Figure 6. Optical setup. The laser is a supercontinuum light source with wavelengths in the range of 550 – 1000 nm, L_1 , L_2 are beam-expanding lenses, ‘BS’ is a beamsplitter, ‘SLM’ is a Spatial Light Modulator, L_3 , L_4 are lenses in a 4f-telescopic system, ‘Object’ is the plane of the projected phase object and masks from SLM, CMOS is a camera.




Figure 7. Images of object(a) and mask(b) imaged on SLM in experiments for $\lambda = 520$ nm.

5. Conclusion

We propose a new approach for hyperspectral phase retrieval that utilizes modulation phase masks for the reconstruction of a spectrally variable object. The approach is based on a complex domain version of the ADMM method and spectral proximity operators derived for Gaussian and Poisson intensity observations. The proposed technique is able to retrieve complex-domain spectral components of an object from noisy observations and filter out noise by compromising between noisy intensity observations and their predicted

171

172

173

174

175

176

177




Figure 8. Experimentally reconstructed amplitudes(a) and phases (b) of the object. Reconstruction is performed for $K = 100$ wavelengths with $T = 300$ masks. The wavelength number is written in each image of the amplitude and corresponds to phase images with the same location.

counterparts. In the algorithm, we do not use traditional phase retrieval constraints, e.g., known aperture. The simulation and physical tests confirmed the effectiveness of the proposed approach. With the mask implementation on a transmissive spatial light modulator, the proposed setup allows a simple lensless implementation, which is significantly simpler than HS interferometry and HS holographic imaging. The proposed approach could potentially be useful in various applications, such as biomedical imaging, remote sensing, and materials science.

Author Contributions: I.S. developed the algorithm, conceived and designed the experiments; V.K. developed the approach and algorithm; K.E. supervised the project.

Funding: IS was supported by the Academy of Finland (project no. 336357, PROFI 6 - TAU Imaging Research Platform).

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

The following abbreviations are used in this manuscript:

BS	Beam Splitter
CMOS	Complementary Metal–Oxide–Semiconductor
CCF	Complex Cube Filter
HSI	HyperSpectral Imaging
HSPhR	HyperSpectral Phase Retrieval
HSDH	HyperSpectral Digital Holography
SPO	Spectral Proximity Operator
SNR	Signal-to-Noise Ratio

References

1. Gao, B.C.; Davis, C.; Goetz, A. A review of atmospheric correction techniques for hyperspectral remote sensing of land surfaces and ocean color. In Proceedings of the 2006 IEEE International Symposium on Geoscience and Remote Sensing. IEEE, 2006, pp. 1979–1981.
2. Calin, M.A.; Parasca, S.V.; Savastru, D.; Manea, D. Hyperspectral imaging in the medical field: Present and future. *Applied Spectroscopy Reviews* **2014**, *49*, 435–447.
3. Ghenim, L.; Allier, C.; Obeid, P.; Hervé, L.; Fortin, J.Y.; Balakirev, M.; Gidrol, X. A new ultradian rhythm in mammalian cell dry mass observed by holography. *Scientific Reports* **2021**, *11*, 1290.
4. Belashov, A.V.; Zhikhoreva, A.A.; Bespalov, V.G.; Novik, V.I.; Zhilinskaya, N.T.; Semenova, I.V.; Vasyutinskii, O.S. Refractive index distributions in dehydrated cells of human oral cavity epithelium. *Journal of the Optical Society of America B* **2017**, *34*, 2538–43. <https://doi.org/10.1364/JOSAB.34.002538>.
5. Cazac, V.; Meshalkin, A.; Achimova, E.; Abashkin, V.; Katkovnik, V.; Shevkunov, I.; Claus, D.; Pedrini, G. Surface relief and refractive index gratings patterned in chalcogenide glasses and studied by off-axis digital holography. *Applied Optics* **2018**, *57*, 507. <https://doi.org/10.1364/ao.57.000507>.
6. Kalenkov, S.G.; Kalenkov, G.S.; Shtanko, A.E. Hyperspectral holography: an alternative application of the Fourier transform spectrometer. *Journal of the Optical Society of America B* **2017**, *34*, B49. <https://doi.org/10.1364/josab.34.000b49>.
7. Claus, D.; Pedrini, G.; Buchta, D.; Osten, W. Accuracy enhanced and synthetic wavelength adjustable optical metrology via spectrally resolved digital holography. *Journal of the Optical Society of America A: Optics and Image Science, and Vision* **2018**, *35*, 546–552. <https://doi.org/10.1364/JOSAA.35.000546>.
8. Katkovnik, V.; Egiazarian, K. Multi-Frequency Phase Retrieval from Noisy Data. In Proceedings of the 2018 26th European Signal Processing Conference (EUSIPCO). IEEE, 2018, pp. 2200–2204. <https://doi.org/10.23919/EUSIPCO.2018.8553264>.
9. Katkovnik, V.; Shevkunov, I.; Petrov, N.V.; Eguiazarian, K. Multiwavelength absolute phase retrieval from noisy diffractive patterns: Wavelength multiplexing algorithm. *Applied Sciences (Switzerland)* **2018**, *8*, 1–19. <https://doi.org/10.3390/app8050719>.

10. Katkovnik, V.; Shevkunov, I.; Petrov, N.V.; Egiazarian, K. Multiwavelength surface contouring from phase-coded noisy diffraction patterns: wavelength-division optical setup. *Optical Engineering* **2018**, *57*, 1. <https://doi.org/10.1117/1.oe.57.8.085105>. 223
11. Shevkunov, I.; Katkovnik, V.; Egiazarian, K. Lensless hyperspectral phase imaging in a self-reference setup based on Fourier transform spectroscopy and noise suppression. *Optics Express* **2020**, *28*, 17944. <https://doi.org/10.1364/oe.393009>. 224
12. Katkovnik, V.; Shevkunov, I.; Egiazarian, K. Broadband Hyperspectral Phase Retrieval From Noisy Data. In Proceedings of the 2020 IEEE International Conference on Image Processing (ICIP). IEEE, 2020, number 1, pp. 3154–3158. <https://doi.org/10.1109/ICIP40778.2020.9191204>. 225
13. Katkovnik, V.; Shevkunov, I.; Egiazarian, K. ADMM and spectral proximity operators in hyperspectral broadband phase retrieval for quantitative phase imaging. *arXiv preprint arXiv:2105.07891* **2021**. 226
14. Katkovnik, V.; Shevkunov, I.; Petrov, N.N.V.; Egiazarian, K. Computational wavelength resolution for in-line lensless holography: phase-coded diffraction patterns and wavefront group-sparsity. *Digital Optical Technologies 2017* **2017**, 10335, 1033509. <https://doi.org/10.1117/12.2269327>. 227
15. Hestenes, M.R. Multiplier and gradient methods. *Journal of Optimization Theory and Applications* **1969**, *4*, 303–320. <https://doi.org/10.1007/BF00927673>. 228
16. Eckstein, J.; Bertsekas, D.P. On the Douglas—Rachford splitting method and the proximal point algorithm for maximal monotone operators. *Mathematical Programming* **1992**, *55*, 293–318. <https://doi.org/10.1007/BF01581204>. 229
17. Afonso, M.V.; Bioucas-Dias, J.M.; Figueiredo, M.A.T. Fast Image Recovery Using Variable Splitting and Constrained Optimization. *IEEE Transactions on Image Processing* **2010**, *19*, 2345–2356. <https://doi.org/10.1109/TIP.2010.2047910>. 230
18. Afonso, M.V.; Bioucas-Dias, J.M.; Figueiredo, M.A.T. An Augmented Lagrangian Approach to the Constrained Optimization Formulation of Imaging Inverse Problems. *IEEE Transactions on Image Processing* **2011**, *20*, 681–695. <https://doi.org/10.1109/TIP.2010.2076294>. 231
19. Li, L.; Wang, X.; Wang, G. Alternating Direction Method of Multipliers for Separable Convex Optimization of Real Functions in Complex Variables. *Mathematical Problems in Engineering* **2015**, *2015*, 1–14. <https://doi.org/10.1155/2015/104531>. 232
20. Shevkunov, I.; Katkovnik, V.; Claus, D.; Pedrini, G.; Petrov, N.V.; Egiazarian, K. Hyperspectral phase imaging based on denoising in complex-valued eigensubspace. *Optics and Lasers in Engineering* **2020**, *127*, 1–9. <https://doi.org/10.1016/j.optlaseng.2019.105973>. 233
21. Candes, E.; Wakin, M. An Introduction To Compressive Sampling. *IEEE Signal Processing Magazine* **2008**, *25*, 21–30. <https://doi.org/10.1109/MSP.2007.914731>. 234
22. Mäkitalo, M.; Foi, A. Noise Parameter Mismatch in Variance Stabilization, With an Application to Poisson–Gaussian Noise Estimation. *IEEE Transactions on Image Processing* **2014**, *23*, 5348–5359. <https://doi.org/10.1109/TIP.2014.2363735>. 235

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content. 236