

Proceeding Paper.

# Learning from Past Researches for Green Future: Harnessing Organic & Genetically Enhanced Trees to Reduce Construction-Induced CO<sub>2</sub> Emissions

Zeenat Khan <sup>1</sup>, Majid Ali <sup>2</sup>

<sup>1</sup> Department of Biotechnology, Capital University of Science & Technology, Islamabad, Pakistan; zeenatkhan2611@gmail.com

<sup>2</sup> Department of Civil Engineering, Capital University of Science & Technology, Islamabad, Pakistan; majid.ali@cust.edu.pk

**Abstract:** In today's world, GHG emissions, especially CO<sub>2</sub>, drive rapid global warming. Construction significantly contributes to this by emitting CO<sub>2</sub>. Plants have long been recognized for their role in mitigating climate change through CO<sub>2</sub> absorption, enhancing both climate control and environmental beauty. Thus the aim is to assess plants' CO<sub>2</sub> absorption potential, focusing on recent articles from reputable journals in the past decade. First, we delve into the primary causes of global warming. Next, we explore the philosophy of CO<sub>2</sub> emissions in construction from inception to completion. Finally, CO<sub>2</sub> emission control through plantation is examined, exploring the potential of organic and genetically modified plants for real-world applications.

**Keywords:** Construction; Global warming; Carbon dioxide; Plantation

**Citation:** Khan, Z.; Ali, M. Learning from Past Researches for Green Future: Harnessing Organic & Genetically Enhanced Trees to Reduce Construction-Induced CO<sub>2</sub> Emissions. *2023*, *5*, x. <https://doi.org/10.3390/xxxxx> Published: 24 October

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2023 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

## 1. Introduction

Greenhouse gases, commonly known as GHGs, unquestionably serve as the primary catalysts for global warming, effectively synonymous with this pressing environmental concern. These GHGs encompass four key constituents: carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), and fluorinated gases. Among this quartet, CO<sub>2</sub> emerges as the most influential contributor, responsible for a substantial 70-75% of the global warming effect, [1]. The remaining 25-30% is ascribed to the other trio of GHGs: methane, making 16-20% contribution; nitrous oxide, contributing around 6-10%; and fluorinated gases, with a contribution of roughly 1-3%, [2-4]. Consequently, it becomes patently clear that exerting control over CO<sub>2</sub> emissions assumes a pivotal role in the endeavor to mitigate global warming. CO<sub>2</sub> emission reduction gives the potential to significantly diminish the extent of global warming and its far-reaching repercussions for planet.

The construction industry, with its vast reach, is a significant driver of global warming, emitting greenhouse gases, primarily CO<sub>2</sub>, during both the construction phase (cradle to gate) and the entire building life cycle (gate to key), [5]. The construction industry plays substantial role in exacerbating global temperatures and CO<sub>2</sub> emissions from inception to demolition, [6]. The objective is to analyze the industry's carbon footprint comprehensively, offering an in-depth assessment of its contributions to the climate crisis by scrutinizing emissions both upstream and downstream, [7]. It underscores the urgent need for adopting sustainable practices to mitigate environmental consequences.

In the midst of the construction industry's persistent and significant contribution to global

warming, marked by the continuous release of GHGs, notably CO<sub>2</sub>, throughout both the cradle to gate and gate to key phases, an innovative approach warrants the attention,

[8]. This review paper embarks on a transformative journey, shedding light on the remarkable potential of tree plantation as a dynamic strategy for climate control, [9]. However, the intrigue doesn't stop there; it guides for the pioneering realm of genetic modification, it contemplates the feasibility of enhancing tree species with specialized genes to augment CO<sub>2</sub> absorption. As it ventures into scientific frontier, it will delve into the potential and ethical considerations of genetically engineered trees as a catalyst for swift climate change mitigation, [10]. Trees, both organic and genetically modified, excel at absorbing CO<sub>2</sub> emissions, offering adaptable solutions for combatting global warming, [11-13]. This exploration has the potential to redefine the course of the battle against global warming.

Rapid urbanization presents significant climate concerns, [5]. In response, tree planting emerges as a viable remedy. The global construction industry is a key contributor to global warming, primarily through greenhouse gas emissions, especially carbon dioxide (CO<sub>2</sub>), [7]. Tree planting offers a comprehensive strategy to mitigate emissions from construction activities, [10]. This review analyzes reputable journal articles from the past decade. It first assesses the cause and contributor of global warming. Then, it explores the CO<sub>2</sub> emissions by construction industry from 'cradle to key phase'. Finally, it discusses essential aspects of tree planting, including organic and genetically modified varieties, emphasizing adaptability and environmental benefits. After studying plantation strategies, it recommends tree combinations based on existing literature.

## 2. Global warming, its major cause and contributor

Global warming is an escalating global crisis driven primarily by the accumulation of greenhouse gases (GHGs) in the Earth's atmosphere. Among these gases, carbon dioxide (CO<sub>2</sub>) plays a pivotal role due to its abundant emission sources, [1]. The construction industry, characterized by its intensive use of energy and materials, is a significant contributor to the CO<sub>2</sub> emissions, [7]. The energy-intensive processes involved in construction, such as cement production and transportation of materials, release substantial amounts of CO<sub>2</sub>. Moreover, the carbon footprint of buildings themselves, especially large-scale commercial and residential structures, [4] substantially contributes to CO<sub>2</sub> emissions over their lifecycle, including heating, cooling, and maintenance.


Deforestation worsens global warming by releasing stored carbon, disrupting the natural carbon cycle. Forests function as carbon sinks, capturing and storing CO<sub>2</sub>. When trees are cut or burned, as in deforestation, stored carbon is released, intensifying GHG concentrations, [9]. Deforestation results from land demand for agriculture, urbanization, and resource extraction, closely linked to construction needs, [8]. This compounds CO<sub>2</sub> emissions from deforestation and construction, underscoring the urgent need for sustainable construction and forest conservation to mitigate climate impacts.

## 3. CO<sub>2</sub> emission by construction industry from cradle to key phase

The worldwide construction sector, largely fueled by carbon dioxide (CO<sub>2</sub>) emissions, plays a pivotal role in aggravating global warming, [7, 8]. This comprehensive analysis delves into the intricate factors contributing to its impact on rising temperatures. CO<sub>2</sub> emissions emanate from various stages in the life cycle, spanning planning, material extraction ("cradle to gate"), and operational phases ("gate to key"), [8]. These emissions intensify due to energy-intensive procedures and the transportation of materials, exacerbating the consequences of climate change, [19, 20]. Recognizing this intricacy underscores the immediate need to adopt sustainable practices, mitigating the sector's ecological footprint and addressing the imperative for a more environmentally conscious approach.

The construction industry faces significant carbon emissions challenges, spanning material production, transportation, construction, operation, and disposal, highlighting a need for managing embodied carbon in buildings to mitigate global warming, [14, 20].

There is a lack of comprehensive, material-specific emissions calculations despite extensive research on building lifecycle energy and emissions, [15]. Assessing emissions during construction is critical, [16]. Sustainable design and materials are pivotal for reducing embodied carbon and environmental impact, given the sector's substantial contribution to global warming, responsible for about 27% of annual CO<sub>2</sub> emissions, [17, 18]. During the construction phase steel, concrete, aluminum and bricks are the prime contributor to CO<sub>2</sub> emissions, (Figure 1). The concept of a building's carbon footprint quantifies CO<sub>2</sub> emissions throughout its lifecycle. [19]. Sustainable development balances environment and resource conservation.



**Figure 1.** Major contributors of CO<sub>2</sub> emission during construction, [4].

The construction industry's "gate to key" phase is pivotal in combating greenhouse gas emissions, especially carbon dioxide (CO<sub>2</sub>), [21]. This phase, from building occupancy to demolition, significantly contributes to climate change. Operational buildings, reliant on fossil fuels for heating, cooling, and lighting, extend their CO<sub>2</sub> emissions beyond construction, [22, 23], emphasizing the need to rethink design, materials, and energy-efficient technologies to mitigate the industry's lasting impact on global warming. Examining this phase highlights CO<sub>2</sub> emissions' resilience in constructed environments, as buildings are designed for long-term use, [24]. Demolition and disposal add further emissions, reinforcing the industry's prolonged role in global warming, [25]. Understanding and addressing CO<sub>2</sub> emissions in this phase are crucial for a sustainable built environment and reducing the industry's lasting climate impact.

#### 4. Harnessing trees to reduce CO<sub>2</sub> emissions by construction industry

In-depth research underscores the construction industry's significant contribution to global warming, emphasizing innovative solutions like tree plantation, [8]. Solutions like green construction and alternatives material are cost-effective for CO<sub>2</sub> reduction and may not always prioritize sustainability. Tree planting offers an affordable, aesthetically pleasing, and accessible climate solution. Trees, via photosynthesis, capture CO<sub>2</sub>, aiding the fight against climate change, while also regulating temperatures, improving air quality, and enhancing urban aesthetics, [9]. Genetic modification has been explored to enhance CO<sub>2</sub> absorption in trees, potentially accelerating their climate impact, [18]. This biotechnological approach raises ecological, genetic diversity, and ethical concerns, demanding careful consideration for harmonious coexistence with the environment, [19]. Integrating genetic modification with tree planting offers a promising opportunity for climate control, necessitating further research and ethical guidelines.

Organic trees like Sukh Chain, Jamun, Kachnar, Drek, Mulberry, and Shisham are essential natural carbon sinks, aiding in carbon dioxide (CO<sub>2</sub>) emission mitigation from buildings through photosynthesis, [8]. Strategically planting these trees near structures can significantly reduce their carbon footprint, with this group capable of absorbing 105 kilograms of CO<sub>2</sub> daily, [28-32]. These trees continue to absorb CO<sub>2</sub> throughout a building's lifespan, enhancing air quality and fostering a harmonious ecosystem that counters

the structure's environmental impact, [32, 33]. This enduring relationship highlights the importance of integrating nature into the built environment for climate change mitigation.

Plants*	Sukh Chain	Jamun	Kachnar	Drek	Mulberry	Shisham
<b>Scientific name</b>	<i>Pongamia pinnata</i>	<i>Syzygium Cumini</i>	<i>Bauhinia variegata</i>	<i>Melia azedarach</i>	<i>Morus spp.</i>	<i>Dalbergia sissoo</i>
<b>Nutritional</b>	well-drained	well-drained, fertile	well-drained	various soils,	well-drained	well-drained
<b>Requirements</b>	soil, organic mulching	soil, organic matter	soil, organic matter,phosphorus	nitrogen, phosphorus	soil, organic matter, nitrogen	soil, nitrogen
<b>Growth Rate</b>	10 cm/day	10 cm/day	1-5 cm/day	10 cm/day	10 cm/day	10 cm/day
<b>Water Requirements</b>	Mature trees are drought-tolerant	Mature trees are drought-tolerant	Regular watering	Regular watering	requires moist soil	Regular watering
<b>Temperature tolerance</b>	10°C (50°F) to 40°C (104°F)	15°C (59°F) to 40°C (104°F)	15°C (59°F) to 35°C (95°F)	10°C (50°F) to 40°C (104°F)	10°C (50°F) to 35°C (95°F)	15°C (59°F) to 40°C (104°F)
<b>Height</b>	10 to 25 meters (33 to 82 feet)	15 to 30 meters (49 to 98 feet)	6 to 12 meters (20 to 39 feet)	6 to 12 meters (20 to 39 feet)	5 to 15 meters (16 to 49 feet)	15 to 25 meters (49 to 82 feet)
<b>Environmental Factors</b>	temperature, sunlight , water availability	wet and dry season, sunlight	wet and dry season, sunlight	Various conditions	sunlight, soil conditions	sun exposure
<b>CO<sub>2</sub> Absorbance</b>	5 to 15 kg/day	5 to 20 kg/day	5 to 15 kg/day	5 to 15 kg/day	5 to 20 kg/day	5 to 20 kg/day
<b>References</b>	[28]	[29]	[30]	[31]	[32]	[28]

Table 1. Fastest growing plants.

\*For Rawalpindi, Pakistan region only.

Genetically modified (GM) trees, engineered for improved CO<sub>2</sub> absorption, offer a dynamic approach to address building emissions, [34]. Unlike natural species such as Sukh Chain, Jamun, Kachnar, Drek, Mulberry, and Shisham, GM trees show potential for rapid CO<sub>2</sub> sequestration, [19]. Research confirms their CO<sub>2</sub>-absorbing abilities, despite on-going debates on feasibility and ethics, [35]. Planting GM trees around a CO<sub>2</sub>-emitting building during the cradle-to-gate phase, significantly reducing the required tree count within five years. This innovation accelerates carbon absorption, aiding climate change mitigation. However, careful urban integration and ethical, ecological, and regulatory considerations are crucial, [28, 29]. GM trees hold promise in reshaping the fight against global warming, demonstrating the potential of science and biotechnology for a sustainable future. Both natural and GM trees offer adaptable solutions, each with unique strengths and considerations in absorbing CO<sub>2</sub> emissions from buildings to combat global warming.

### 5. Conclusions

This review examines tree planting's effectiveness in reducing construction CO<sub>2</sub> emissions using recent articles from reputable journals, based on literature research following are the conclusions:

- GHG emissions, primarily CO<sub>2</sub> from the construction industry, significantly contribute to global warming and are tied to deforestation for urban development.
- The construction industry significantly contributes to global warming by emitting tons of CO<sub>2</sub> from the material used in construction. The percentage CO<sub>2</sub> emissions of

material vary with respect to quantity. However, steel is the prime contributor of emitting highest percentage of CO<sub>2</sub> in environment.

- Integrating organic trees offers potential to reduce CO<sub>2</sub> emissions from construction industry. Temperature tolerant and fastest growing trees native to area such as Sukh-chain, Jamun can play a huge role in CO<sub>2</sub> absorbance. Genetic modification of these trees with CO<sub>2</sub> absorbing gene at high rate can increase their absorbance rate up to 5%. But it requires ethical and ecological scrutiny, demanding additional research and ethical guidelines for effective climate change mitigation.

The above findings indicate a promising path to investigate the profound effects of CO<sub>2</sub> emissions from the construction industry. Increased awareness can facilitate the successful implementation of tree planting initiatives, spanning from small to large-scale applications in practical contexts. However, genetically modified plants will require ethical concerns and extensive research to be implemented from small scale to large scale.

**Author Contributions:** “Conceptualization, Zeenat Khan and Majid Ali; methodology, Zeenat Khan and Majid Ali; formal analysis Zeenat Khan.; resources, Zeenat Khan; writing—original draft preparation, Zeenat Khan; writing—review and editing, Majid Ali; supervision, Majid Ali; All authors have read and agreed to the published version of the manuscript.”

**Funding:** “This research received no external funding”

**Institutional Review Board Statement:** “Not applicable”

**Informed Consent Statement:** “Not applicable.”

**Acknowledgments:** The authors would like to thank every person/department who helped throughout the research work.

**Conflicts of Interest:** “The authors declare no conflict of interest.”

## References

1. Jones, M. W.; Peters, G. P.; Gasser, T.; Andrew, R. M.; Schwingshackl, C.; Gütschow, J.; Le Quéré, C. (2023). National contributions to climate change due to historical emissions of carbon dioxide, methane, and nitrous oxide since 1850. *Scientific Data*, 10(1), 155.
2. Chai, X.; Tonjes, D.J.; Mahajan, D.; (2016). Methane emissions as energy reservoir: context, scope, causes and mitigation strategies. *Prog. Energy Combust. Sci.*, 56, 33-70.
3. Yang, R.; Yuan, L.; (2023). Generation, emission reduction/utilization, and challenges of greenhouse gas nitrous oxide in wastewater treatment plants—A review. *J. Water Process Eng.*, 53, 103871.
4. Khan, D.; Khan, E.A.; Tara, M.S.; Shujaa, S.; Gardezi, S.; (2021). Embodied carbon footprint assessment of a conventional commercial building using BIM. In *Collaboration and Integration in Construction, Engineering, Management and Technology: Proceedings of the 11th International Conference on Construction in the 21st Century, London 2019*, Springer International Publishing, 247-250.
5. Marsono, A.K.B.; Balasbaneh, A.T. Combinations of building construction material for residential building for the global warming mitigation for Malaysia. *Constr. Build. Mater.* 2015, 85, 100-108.
6. Spence, R.; Mulligan, H. Sustainable development and the construction industry. *Habitat Int.* 1995, 19(3), 279-292.
7. Huang, L.; Krigsvoll, G.; Johansen, F.; Liu, Y.; Zhang, X. Carbon emission of global construction sector. *Renew. Sustain. Energy Rev.* 2018, 81, 1906-1916.
8. Sadri, H.; Pourbagheri, P.; Yitmen, I. Towards the implications of Boverket's climate declaration act for sustainability indices in the Swedish construction industry. *Build. Environ.* 2022, 207, 108446.
9. Camposeo, S.; Vivaldi, G.A.; Russo, G.; Melucci, F.M. Intensification in olive growing reduces global warming potential under both integrated and organic farming. *Sustainability* 2022, 14(11), 6389.
10. Le, Y.; Huang, S.Y. Prediction of Urban Trees Planting Base on Guided Cellular Automata to Enhance the Connection of Green Infrastructure. *Land* 2023, 12(8), 1479.
11. Osman, A.I.; Fawzy, S.; Lichtfouse, E.; Rooney, D.W. Planting trees to combat global warming. *Environ. Chem. Lett.* 2023, 1-4.
12. Apeh, C.C.; Agbugba, I.K.; Mdoda, L. Assessing the Determinants of Adopting Urban Tree Planting as Climate Change Mitigation Strategy in Enugu Metropolis, Nigeria. *Sustainability* 2023, 15(16), 12224.
13. Quandt, A.; Neufeldt, H.; Gorman, K. Climate change adaptation through agroforestry: Opportunities and gaps. *Curr. Opin. Environ. Sustain.* 2023, 60, 101244.

14. Zuo, J., & Zhao, Z.-Y. Green building research—current status and future agenda: A review. *Renew. Sustain. Energy Rev.* 2014, 30, 271-281. 1  
2
15. Luo, Z., Yang, L., & Liu, J. Embodied carbon emissions of office building: A case study of China's 78 office buildings. *Build. Environ.* 2016, 95, 365-371. doi: <https://doi.org/10.1016/j.buildenv.2015.09.018> 3  
4
16. Atmaca, A., & Atmaca, N. Life cycle energy (LCEA) and carbon dioxide emissions (LCCO2A) assessment of two residential buildings in Gaziantep, Turkey. *Energy Build.* 2015, 102, 417-431. 5  
6
17. Hawkins, W., Cooper, S., Allen, S., Roynon, J., & Ibell, T. Embodied carbon assessment using a dynamic climate model: Case-study comparison of a concrete, steel and timber building structure. *Structures* 2021, 33, 90-98 7  
8
18. Pomponi, F., Hart, J., Arehart, J. H., & D'Amico, B. Buildings as a global carbon sink? A reality check on feasibility limits. *One Earth* 2020, 3(2), 157-161. 9  
10
19. Cabeza, L. F., Rincón, L., Vilariño, V., Pérez, G., & Castell, A. Life cycle assessment (LCA) and life cycle energy analysis (LCEA) of buildings and the building sector: A review. *Renew. Sustain. Energy Rev.* 2014, 29, 394-416. 11  
12
20. Hong, J., Shen, G. Q., Feng, Y., Lau, W. S.-t., & Mao, C. Greenhouse gas emissions during the construction phase of a building: a case study in China. *J. Clean. Prod.* 2015, 103, 249-259. 13  
14
21. Bošković, I.; Radivojević, A. Life cycle greenhouse gas emissions of hemp-lime concrete wall constructions in Serbia: The impact of carbon sequestration, transport, waste production and end of life biogenic carbon emission. *J. Build. Eng.* 2023, 66, 105908. 15  
16
22. Zheng, L.; Mueller, M.; Luo, C.; Menneer, T.; Yan, X. Variations in whole-life carbon emissions of similar buildings in proximity: An analysis of 145 residential properties in Cornwall, UK. *Energy Build.* 2023, 296, 113387. 17  
18
23. Greer, F.; Horvath, A. Modular construction's capacity to reduce embodied carbon emissions in California's housing sector. *Build. Environ.* 2023, 240, 110432. 19  
20
24. Fang, Z.; Yan, J.; Lu, Q.; Chen, L.; Yang, P.; Tang, J.; ... & Hong, J. A systematic literature review of carbon footprint decision-making approaches for infrastructure and building projects. *Appl. Energy* 2023, 335, 120768. 21  
22
25. Fan, Y.; Fang, C. GHG emissions and energy consumption of residential buildings—a systematic review and meta-analysis. *Environ. Monit. Assess.* 2023, 195(7), 885. 23  
24
26. Russell-Smith, S. V., Lepech, M. D., Fruchter, R., & Meyer, Y. B. Sustainable target value design: integrating life cycle assessment and target value design to improve building energy and environmental performance. *J. Clean. Prod.* 2015, 88, 43-51. 25  
26
27. Johnny, W., & Zhou, X. Enhancing environmental sustainability over building life cycles through green BIM: A review. 2015, 57. 27  
28
28. Najeeb, R., Qaisrani, F. A., Akhtar, S., & Nazeer, I. The Role and Significance of Forest on Climate Change and Economy in Pakistan. *Al-Qantara* 2023, 9(2), 159-170. 29  
30
29. Khadivi, A., Mirheidari, F., Saeidifar, A., & Moradi, Y. Selection of the promising accessions of jamun (*Syzygium cumini* (L.) skeels) based on pomological characterizations. *Food Sci. Nutr.* 2023, 11(1), 470-480. 31  
32
30. Dewangan, A., Mallick, A., Yadav, A. K., Islam, S., Saleel, C. A., Shaik, S., & Ağbulut, Ü. Production of oxy-hydrogen gas and the impact of its usability on CI engine combustion, performance, and emission behaviors. *Energy* 2023, 278, 127937. 33  
34
31. Imran-Shaukat, M., Wahid, R., & Ngaini, Z. Optimization of Copper, Lead and Nickel Ions Adsorption by Melia azedarach Activated Carbon: A Response Surface Methodology Approach. *Arab. J. Sci. Eng.* 2023, 1-22. 35  
36
32. Yang, L., Zhao, J., Fan, S., Liao, J., Chen, Y., & Wang, Y. Effect of Frost on the Different Metabolites of Two Mulberry (*Morus nigra* L. and *Morus alba* L.) Leaves. *Molecules* 2023, 28(12), 4718. 37  
38
33. Amiri-Ramsheh, B.; Nait Amar, M.; Shateri, M.; Hemmati-Sarapardeh, A. On the evaluation of the carbon dioxide solubility in polymers using gene expression programming. *Sci. Rep.* 2023, 13(1), 12505. 39  
40
34. Gu, Lianhong. Optimizing the electron transport chain to sustainably improve photosynthesis. *Plant Physiol.* 2023, kiad490. 41
35. Booth, Trevor H. The need for a global tree trial database. *New Forests* 2023, 54(1), 1-7. 42  
43