

Proceeding Paper

A Deep Learning-Based Approach for Failure Detection in Mooring (Thin) Lines from Marine Images [†]

Tarwan Kumar Khatri^{1,2,*}, Manzoor Ahmed Hashmani^{1,2}, Hasmi Taib³, Nasir Abdullah⁴ and Lukman Ab. Rahim^{1,2}

¹ Department of Computer Science and Information Sciences, Universiti Teknologi PETRONAS (UTP), Seri Iskandar, Perak, 32610, Malaysia

² High Performance Cloud Computing Centre (HPC3), UTP, Perak, 32610, Malaysia

³ Floating Production Facilities, Civil and Structural Section, Engineering Department, Group Technical Solutions, Project Delivery & Technology Division, Petroleum Nasional Berhad (PETRONAS), Kuala Lumpur, Selangor, Malaysia

⁴ Metocean Engineering, Petroleum Nasional Berhad (PETRONAS), Kuala Lumpur, Selangor, Malaysia

* Correspondence: tarwan_22008482@utp.edu.my

[†] Presented at the 4th International Electronic Conference on Applied Sciences (ASEC'23), Naples, Italy, 27 Oct–10 Nov 2023.

Abstract: Mooring systems are incorporated from mooring (Thin) lines that are constituted of fiber ropes, steel wires, and chains. Mooring systems are used for station keeping of floating units during the drilling process of oil and gas from offshore deep water and unloading of productions to the shuttle storage tanker. However, it is crucial to monitor the mooring system for early-stage failure detection in mooring lines during the offshore mooring operation to avoid any unexpected losses including human injuries, and catastrophic failure. This paper addresses the challenges of mooring line detection and proposes a deep learning-based approach for the detection of mooring lines from marine images using the bounding box. A convolutional neural network, Inception v3 is used for the detection and classification of thin line objects from marine images and it is a pre-trained model with 1000 classes. Furthermore, various testing samples have been evaluated for assessing the performance of the pre-trained proposed model. According to the results, it has been observed that the proposed model obtained 87.33% highest accuracy in classifying the mooring line objects from images and failed to accurately detect mooring lines. Furthermore, in a few highlighted cases, the performance of the model was decreased in terms of accuracy due to misclassification and wrong detection of mooring line objects. Despite this, the proposed study furnishes a potential solution for the detection of failure in mooring lines from marine images.

Keywords: mooring lines; mooring systems; failure detection; thin line detection; deep learning; inception v3

Citation: To be added by editorial staff during production.

Academic Editor: Firstname Last-name

Published: date



Copyright: © 2023 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Mooring systems are made up of mooring lines, which are commonly made of polyester ropes, chains, and steel wire ropes. These elements are critical in securing offshore boats and stationary items during deep-water mooring operations. The number of mooring lines within each type of mooring system or design varies according to the individual floating units utilized for offshore activities such as drilling or transferring hydrocarbon production to shuttle tankers [1]. Mooring lines are extremely important in the context of offshore maritime activities due to the potentially disastrous repercussions of their failure. These repercussions include significant financial losses, human life losses, production disruptions [2, 3], and environmental concerns caused by petroleum leaks. These undesirable occurrences are often caused by mooring line abnormalities, which might include corrosion, wire breakage, and poor maintenance, ultimately leading to mooring line failures [4]. Importantly, when a mooring line fails, it adds tension to the other mooring lines,

possibly leading to a disastrous scenario [3, 5]. As a result, mooring line maintenance and monitoring techniques must be implemented on a regular basis. These procedures serve the dual function of preventing abnormalities that might jeopardize mooring lines while also limiting the environmental concerns associated with mooring system failures [6].

Over the last decade, researchers have conducted a variety of studies aiming at discovering mooring line abnormalities and creating real-time mooring monitoring solutions for the detection of such anomalies. The study [7] proposed a Long short-term model with an attention mechanism to monitor the underwater mooring lines fixed at the seafloor to accomplish the Floating-Point Storage and Offloading (FPSO) operations safely. A deep learning-based approach was proposed to predict the mooring line tension using LSTM and Reservoir Computing (RC) [8]. A study proposed by [9], developed a Deep Neural Network-Grid Search (DNN-GS) model to identify the dynamic mooring line tensions in single-line failure conditions. Besides, an Artificial Neural Network (ANN) based model was proposed by [5] to inspect the mooring line tension for offshore vessels fixed at the seabed under deep water. The deformation of the illustrated anchor chain induces fatigue failure in the maritime environment under dynamic stress. In this regard, the researcher proposed a study [10] to optimize the design framework with minimal cost for the mooring anchor chain.

Furthermore, the deep learning-based LSTM model was proposed by [11, 12] for mooring lines load monitoring to perform offshore mooring operations safely. They proposed a Box-Cox Transformation (BCT) model to improve the predicting accuracy. Additionally, a Global Navigation Satellite System (GNSS) was proposed by [13] to monitor the mooring systems. The proposed work relies on data that is comprised of changes in the position of the vessel in convergence of offshore mooring operation. The study [14] proposed a deep-learning model for early-stage failure detection in mooring lines of submerged Floating Tunnels (SFTs). Damage detection in submerged mooring lines is critical to ensuring the safety of offshore mooring operations. In keeping with this viewpoint, researchers developed a Recursive Neural Network (RNN) architecture based on deep learning principles to detect flaws in underwater catenary mooring lines. This detection approach is based on analyzing a single response generated by offshore platform modeling and the accompanying environmental data [15].

With the increasing expansion of artificial intelligence, several academics have focused on deep learning and machine learning algorithms for detecting and monitoring abnormalities in mooring lines but are less accurate, and less reliable and the performance of the models is degraded in implementing the techniques in strong seaway conditions. Hence, there is still room to develop a real-time mooring monitoring system that can obviate unexpected failure in mooring lines and detect anomalies at an early stage during the offshore mooring operation. This paper addresses the challenges of mooring line detection and proposes a deep learning-based approach for the detection of mooring lines from marine images using the bounding box. A convolutional neural network, Inception v3 is used for the detection and classification of thin line objects from marine images.

The rest of the paper has been organized as follows. Section 2 describes the methodology used for dataset collection and the framework designed for the detection of mooring lines from images. Section 3 presents the results and furnishes a discussion of the analysis conducted for the proposed model and compare the results with existing studies. Lastly, the conclusion drawn from the research work has been demonstrated in Section 4.

2. Materials and Methods

2.1. Description of Dataset

Since no publicly available marine images dataset comprising mooring (Thin) lines existed. Therefore, a standard software “OrcaFlex” was used to create a synthetic dataset of the marine images consisting of mooring lines. OrcaFlex, known for its user-friendliness and depth of technical competence, is the top software program in the world for the

dynamic study of offshore marine systems [16]. Using this software program, we created eight 3D simulations by keeping in view the concept of a spread mooring system, whereas, each simulation video persisted for 12 seconds and featured different positions of Floating-Point Storage and Offshore (FPSO) vessels. However, each simulation was extracted with a frame rate of 20 fps (frames per second). Furthermore, a standard video-to-image conversion software was utilized to extract the individual frames from each of the extracted video simulations and the resulting frames were saved in a “PNG” image format for further analysis and preprocessing. Moreover, for each output frame, the image width and height were set to -1 preserving the original dimensions of the simulation. This way a total of 150 marine images consisting of mooring lines were collected. Furthermore, the final training dataset was subjected to image augmentation.

2.2. Image Augmentation

Image augmentation is the most commonly used computer vision technique. Image data augmentation is a process to generalize the performance of the model and enhance the capabilities of the model learning. It is a procedure to add new images to the dataset and expand the size of the training dataset artificially. The most commonly used image augmentation techniques are constituted of position augmentation and color augmentation [17]. However, for the proposed work, the training dataset was randomly augmented 12 times using rotation, horizontal and vertical skew with the range of 20 degrees, 20% scaling in height and width of images and lastly horizontal and vertical flip was performed to enhance the size of training dataset for the proposed deep learning model to further avoid overfitting and enhance the performance of the model. In addition to that we carried out image rescaling. The dataset images were rescaled to 299x299 dimensions which have been used to input the proposed deep CNN network called Inception v3.

2.3. Architecture of Inception v3 Model

An improved version of the GoogLeNet Inception v1 model is Inception v3. This model integrates several network performance optimization approaches, which enhances flexibility. In comparison to Inception v1 and v2, it promises improved efficiency, a deeper network structure, lower processing requirements, and the use of auxiliary classifiers as regularization tools [18].




Figure 1. Architecture of inception v3 model. The architecture consists of nine inception modules in combination with two fully connected layers and one auxiliary classifier. The output layer does the object detection into whether the detected objects are Mooring lines.

The Inception v3 architecture, well known for its exceptional performance in the 2014 ImageNet Large Scale Visual Recognition Challenge, underwent early training utilizing a dataset made up of around 1,280,000 images covering 1,000 different object categories. The use of convolutional filters of different sizes inside the same layer is made possible by the architecture’s total of 48 deep layers, which facilitates the extraction of information at various scales. The main modifications made to the Inception v3 model include significant improvements in factorization into smaller convolutions, spatial factorization through

asymmetric convolutions, use of auxiliary classifiers, and the application of a successful grid size reduction strategy [19].

A pre-trained model, known as Inception v3 Convolutional Neural Network (CNN) was employed in the proposed work due to its impressive performance [20] on the ImageNet Large Scale Visual Recognition Challenge (ILSVRC). The architecture of the Inception v3 model is depicted in Figure 1. The dataset has been trained using transfer learning. Because the performance of the deep learning models and training time are improved when the size of the dataset images is small. Thus, the proposed model was trained by applying the transfer learning technique, and all the learned attributes found from training the Inception v3 model on the ImageNet dataset were recycled. Moreover, an extensive configuration of nine inception modules was used in the investigation, together with an auxiliary classifier, two fully connected layers, and softmax functions [14]. A learning rate of 0.001 was used throughout the training phase, which involved randomly dividing the training dataset into 24 batches for each epoch and running the training method for a total of 500 epochs. The model’s weights were optimized, and its output capacity was increased by adjusting the hyperparameters, all of which helped with fine-tuning to improve the identification of mooring lines objects in the images.

3. Results and Discussion

This section determines the results and discussion of the inception v3 model in the detection of mooring lines from marine images. However, to check the performance of the model for new images, A confusion matrix is usually employed. Thus, the performance of the model in the detection of mooring lines has been measured based on the various performance metrics. These include Accuracy, Sensitivity, Specificity, Precision, and F1 score.

The results of the proposed deep learning model have been computed based on the said metrics. In this view, it has been observed that the trained inception v3 model obtained a very good accuracy of 87.33%, 93.27% sensitivity, 73.91% specificity, 88.99% precision, and 91.09% F1 score in accurate detection of mooring lines as shown in Table 1.




Figure 2. Performance validation of trained Inception v3 model in detection of mooring lines based on new input images. Three cases were tested which have been represented as first case (a), second case (b) and third case (c).

Table 1. Inception v3 model training accuracy in detection of mooring lines from images.

| Model | Detection | Accuracy (%) | Sensitivity (%) | Specificity (%) | Precision (%) | F1 Score (%) |
|--------------|---------------|--------------|-----------------|-----------------|---------------|--------------|
| Inception v3 | Mooring Lines | 87.33 | 93.27 | 73.91 | 88.99 | 91.09 |

However, the same metrics have also been used to compute the performance of the inception v3 model with new input images for the detection of mooring lines. We evaluated the performance of the trained model based on three different input cases to validate the testing accuracy on novel input images shown in Figure 2. The results of all three cases have been depicted in Table 2. In the evaluation of the first case, it has been reported that the Inception v3 model detected the mooring lines in the position of the Boat stern as well as at 60 degrees of the Boat bow but could not accurately detect all mooring lines at 30

degrees of Boat bow resulted in a bit low accuracy of 82.67%, 90% Sensitivity, 68% specificity, 84.91% precision, and 87.34 F1 score as shown in Figure 3 (a).

Table 2. Inception v3 model testing accuracy in detection of mooring lines from new input images.

| Model | Test Cases | Accuracy (%) | Sensitivity (%) | Specificity (%) | Precision (%) | F1 Score (%) |
|--------------|------------|--------------|-----------------|-----------------|---------------|--------------|
| Inception v3 | (a) | 82.67 | 90 | 68 | 84.91 | 87.34 |
| | (b) | 67.33 | 79.12 | 49.15 | 70.59 | 74.64 |
| | (c) | 72.67 | 78.26 | 63.79 | 77.42 | 77.84 |

Besides, in the evaluation of the second case, the model failed to detect mooring lines and instead localized the Boat object. Thus, for test case 2, the model accomplished a very low accuracy of 67.33%, and specificity of 49.15% in consideration of detection of mooring lines as depicted in Figure 3 (b). In test case 3, the performance of the model was obtained satisfactorily. However, it could not accurately detect the mooring lines because of mistakenly localizing the mooring lines with Boat in focus which is not the object of interest in the proposed study and led to low accuracy of 72.67% and 63.79 specificity as shown in Figure 3 (c). In addition to the above discussion, it has been observed that the present study has shown encouraging results to the existing studies comparatively, as depicted in Table 3.

Table 3. Comparison of present study results with exiting studies based on specific parameters.

| References | Models | Specific Parameters | Accuracy (%) |
|----------------------|--------------------|-------------------------|--------------|
| [9] | DNN-GS | Mooring (case 3) | 81.7 |
| [11] | LSTM | Sea state 6 | 70.33 |
| [14] | DNN | Sensor location (2,5,8) | 84.1 |
| [15] | RNN | Measurement level 1 | 76.58 |
| Proposed Work | CNN (Inception v3) | Clear water | 87.33 |

It is crucial to recognize a constraint in the created dataset and model training procedure in the context of mooring line detection. The impacts of water turbidity on marine life are not taken into account in the training images that are modelled. The visibility and behavior of aquatic species can be dramatically impacted by water turbidity, which is caused by the presence of suspended particles in the water. While our model has shown encouraging results in clear water, it's vital to remember that real-world marine settings frequently have varied degrees of turbidity. Future studies could look at expanding the model's applicability to other aquatic environments by include turbidity effects.

4. Conclusions

This study deals with the crucial problem of mooring line early-stage failure detection in offshore mooring systems, which are essential parts for securing vessels during deep-water operations. The effects of mooring line failure are extensive, including significant financial losses, human injuries, interruptions in productivity, and environmental harm. Although previous research has looked into a variety of methods for tracking and forecasting mooring line behavior, there is still a big need for a dependable real-time mooring monitoring system that can pick up on anomalies and potential failures during offshore mooring operations, especially in difficult seaway conditions. In this study, a pretrained deep learning-based model for mooring (thin) line detection from marine images using bounding boxes has been presented. The accuracy rate for recognizing thin line objects in marine images using the CNN Inception v3 is 87.33%, which shows encouraging results. It is crucial to recognize the difficulties of the model, which can result in inaccurate mooring line object recognition, misclassification, and lower accuracy in particular instances. In spite of these difficulties, this work marks a substantial advancement in the

field of mooring line failure identification from maritime images. It sets the groundwork for possible answers and emphasizes the demand for more study and advancement in this area.

Author Contributions: Conceptualization, TK.K. and MA.H.; methodology, TK.K.; validation, TK.K., H.T., and N.A.; investigation, TK.K.; resources, LA.R.; writing—original draft preparation, TK.K.; writing—review and editing, MA.H.; visualization, TK.K.; supervision, MA.H.; project administration, H.T., and N.A.; funding acquisition, MA.H. All authors have read and agreed to the published version of the manuscript.

Funding: This research study was supported by High Performance Cloud Computing Centre (HPC3), Universiti Teknologi PETRONAS and Yayasan UTP (YUTP) - Grant number 015LC0-332 for provision of materials and resources to carry out this research work.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The dataset used in this research was created specifically for this study and is not publicly available. Access to this dataset will be granted upon request.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Ma, K.-T., et al., Mooring system engineering for offshore structures. 2019: Gulf Professional Publishing.
2. Jaffari, R., et al., A Novel Image-Based Framework for Process Monitoring and Fault Diagnosis of Mooring Lines. *Journal of Hunan University Natural Sciences*, 2020. 47(10).
3. Lugsdin, A., Real-time monitoring of FPSO mooring lines, risers. *Sea Technology*, 2012. 53(7): p. 21-24.
4. Whyte, A., R. Nishanth, and V. Kurian, Floating production storage and offloading systems' cost and motion performance: A systems thinking application. *Frontiers of Engineering Management*, 2018. 5(3): p. 357-368.
5. Li, P., et al., Evaluation of dynamic tensions of single point mooring system under random waves with artificial neural network. *Journal of Marine Science and Engineering*, 2022. 10(5): p. 666.
6. Speight, J.G. and P. Jauhari, *Subsea and Deepwater Oil and Gas Science and Technology*. 2012: Gulf Professional.
7. Ma, G., et al., Study on dynamic tension estimation for the underwater soft yoke mooring system with LSTM-AM neural network. *Ocean Engineering*, 2023. 267: p. 113287.
8. Yang, Y., T. Peng, and S. Liao, Predicting future mooring line tension of floating structure by machine learning. *Ocean Engineering*, 2023. 269: p. 113470
9. Mao, Y., T. Wang, and M. Duan, A DNN-based approach to predict dynamic mooring tensions for semi-submersible platform under a mooring line failure condition. *Ocean Engineering*, 2022. 266: p. 112767
10. Sun, Q., et al., Anchor Chain Optimization Design of a Catenary Anchor Leg Mooring System Based on Adaptive Sampling. *Journal of Marine Science and Engineering*, 2022. 10(11): p. 1739
11. Chen, H., et al., The Effect of Data Skewness on the LSTM-Based Mooring Load Prediction Model. *Journal of Marine Science and Engineering*, 2022. 10(12): p. 1931.
12. Qiao, D., et al., Realtime prediction of dynamic mooring lines responses with LSTM neural network model. *Ocean Engineering*, 2021. 219: p. 108368.
13. Jayasinghe, K.M., et al. From Model to Reality: Practical Insights from Mooring Integrity Monitoring Using Vessel Position Data. in *Offshore Technology Conference*. 2022. OnePetro.
14. Kwon, D.-S., et al., Mooring-failure monitoring of submerged floating tunnel using deep neural network. *Applied Sciences*, 2020. 10(18): p. 6591.
15. Lee, K., M. Chung, and S. Kim, Damage detection of catenary mooring line based on recurrent neural networks. *Ocean Engineering*, 2021. 227: p. 108898.
16. Orcina. OrcaFlex-World- Leading Package for the Dynamic Analysis of Offshore Marine System. 2022; Available from: <https://www.orcina.com/orcaflex/>.
17. Xu, M., et al., A comprehensive survey of image augmentation techniques for deep learning. *Pattern Recognition*, 2023: p. 109347.
18. QoChuk, B. Inception V3 Model Architecture. 2023; Available from: <https://iq.opengenus.org/inception-v3-model-architecture/>.
19. Lee, J.-H., et al., Detection and diagnosis of dental caries using a deep learning-based convolutional neural network algorithm. *Journal of dentistry*, 2018. 77: p. 106-111.
20. Aljuaid, A., M. Almohaya, and M. Anwar. An Early Detection of Oral Epithelial Dysplasia Based on GoogLeNet Inception-v3. in *2022 IEEE/ACM Conference on Connected Health: Applications, Systems and Engineering Technologies (CHASE)*. 2022. IEEE.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.