



*Conference Proceedings Paper – Entropy*

## Using Graph and Vertex Entropy to Measure Similarity of Empirical Graphs with Theoretical Graph Models

Tomasz Kajdanowicz<sup>1</sup> and Mikołaj Morzy<sup>2,\*</sup>

<sup>1</sup> Institute of Informatics, Wrocław University of Technology, Wybrzeże Wyspiańskiego 27, 50-370 Wrocław, Poland

<sup>2</sup> Institute of Computer Science, Poznań University of Technology, Piotrowo 2, 60-965 Poznań, Poland

\* Author to whom correspondence should be addressed; [Mikolaj.Morzy@put.poznan.pl](mailto:Mikolaj.Morzy@put.poznan.pl), tel. +48 61 665 2961, fax. +48 61 877 1525

*Published: 13 November 2015*

---

**Abstract:** Over the years, several theoretical graph generation models have been proposed. Among the most prominent are: Erdős-Renyi random graph model, Watts-Strogatz small world model, Albert-Barabási preferential attachment model, Price citation model, and many more. Often, researchers working on an empirical graph want to know, which of the theoretical graph generation models is the closest, i.e., which theoretical model would generate a graph the most similar to the given empirical graph. Usually, in order to assess the similarity of two graphs, centrality measure distributions are compared. For a theoretical graph model this commonly means comparing the empirical graph to a realization of the theoretical graph model, where the realization is generated from the given model using arbitrarily set parameters. The similarity between centrality measure distributions can be measured using standard statistical tests, e.g., the Kolmogorov-Smirnov test of distances between cumulative distributions. This approach is both error-prone and leading to incorrect conclusions, as we show in our experiments. We verify how comparing the entropies of centrality measure distributions (degree centrality, betweenness centrality, closeness centrality) can help assign an empirical graph to the most similar theoretical model using a simple unsupervised learning method.

**Keywords:** graph, entropy, similarity, Kolmogorov-Smirnov test

---

## 1. Introduction

Analysis of real-world networks can be greatly simplified by using artificial generative network models. These models try to mimic the mechanisms responsible for the emergence of networked phenomena by means of simple generative procedure. The main advantage of these simplified models is that they provide nice analytical solutions to several network problems. Over the years numerous generative models have been proposed in the scientific literature. Most of these models focus on producing networks exhibiting certain properties, such as a particular distribution of vertex degrees, edge betweenness, or local clustering coefficients. Sometimes a model might be proposed to explain an unexpected empirical result, such as shrinking network diameter or densification of edges. Each such generative model is governed by a small set of parameters, but many models are unstable, i.e. they produce significantly different networks for even a minuscule modification of the parameter value.

When faced with an empirical network, researchers often want to approximate the network by a generative model, for instance to derive analytically bounds on certain network properties, or simply to be able to compare the empirical network with similar other networks originating from the same family. However, as we have previously mentioned, the choice of the proper generative model is not trivial since the shape and properties of artificially generated networks depend so strongly on the values of the main parameter of the generative model. In addition, the inherent randomness of generative models produces individual realizations which can differ significantly within a single model. Thus, the similarity of the empirical network to a single realization of a generative model can be purely incidental.

In this work we have decided to measure the usefulness of traditional centrality measures in comparing graphs, and verify if additional features, namely, the entropy of centrality measure distributions, may allow for better graph comparisons. We analyze the behavior of generative network models under changing model parameters and observe the stability of centrality measures. The results of our experiments clearly suggest that enriching graph properties with entropy of centrality measures allows for much more accurate comparisons of graphs. In addition we check how accurate is the comparison of graphs using Kolmogorov-Smirnov test of distances between distributions when applied to distributions of degree, betweenness, local clustering coefficient, and vertex entropy. The results tend to suggest that the KS test is of little help when trying to assign a graph to one of the generative network models.

This paper is organized as follows. In Section 2 we review previous applications of entropy in graphs. Section 3 contains basic definitions, centrality measures, and a brief description of artificial generative network models used in our experiments. We describe our experiments and discuss the results in Section 4. The paper concludes in Section 5 with a brief summary and future work agenda.

## 2. Related Work

Although the notion of entropy is quite well-established in computer science [1], there is no agreed upon definition of entropy in the world of graphs and networks. For instance, Allegrini *et al.* approach the entropy as the fundamental measure of complexity of every complex system, and they show that if entropy is to be perceived as the measure of complexity, this leads to several conflicting definitions of entropy. The entropies discussed by Allegrini *et al.* can be divided into three main groups. Thermodynamic-based entropies of Clausius and Boltzmann assume that all components of a complex

system can be treated as statistically independent and that they all follow identical and independent distributions, with no interference or interactions with other components. Statistical entropies, such as Gibbs entropy [2] or entropy proposed by Tsallis *et al.* [3] generalize thermodynamic-based entropies by allowing individual components of a complex system to be described by unequal probabilities. This allows to combine activity of individual components at the microscale with the overall behavior of the complex system. A special case of statistical entropies are entropies developed in the field of information theory, most notably Shannon entropy [4], Kolmogorov-Sinai entropy [5], and Renyi entropy [6]. These entropies measure the amount of information present in a system and can be used to describe the transmission of messages across the system. In these approaches it is assumed that the entropy, as a measure of uncertainty, is a non-decreasing function of the amount of available information.

Apart from trying to adapt classical definitions of entropy to graphs and networks, many researchers tried to propose novel formulas specifically tailored to the structure of graphs. For instance, Li *et al.* [7] define the topological entropy by measuring the number of all possible configurations that can be produced by the process generating the network for a given set of parameters. The more "deterministic" the process is, i.e., the smaller the uncertainty about the final configuration of the network, the smaller the entropy of the network. Sole and Valverde redefine the classical Shannon entropy using the distribution of vertex degrees in the network [8]. Another approach has been proposed by Körner [9] who defined graph entropy based on the notion of stable sets of a graph (a set of vertices is stable if no two vertices from the set are adjacent), but unfortunately the problem of finding stable sets is NP-hard, which significantly limits the usability of Körner entropy in large networks. Recently Dehmer proposed to define graph entropy based on information functionals [10] which are monotonous functions defined on sets of associated objects of a graph (sets of vertices, sets of edges, subgraphs). This approach nicely generalizes several previous, more specific proposals.

Finally, network entropy has been studied extensively in the field of network coding. Riis introduces the private entropy of a directed graph and relates it to the guessing number of the graph [11]. This work is further expanded by Gadouleau and Riis [12] by proposing the notion of the guessing graph and finding specific directed graphs with high guessing number which are capable of transferring large amounts of information. The relationship between perfect graphs and graph entropy is examined in detail by Simonyi [13]. Perfect graphs are a very important class of graphs, in which many problems, such as graph coloring, maximum clique problem, or maximum independent vertex set problem can be solved in polynomial time.

### 3. Basic Definitions

Given a graph  $G = \langle V, E \rangle$ , where  $V = \{v_1, \dots, v_n\}$  is the set of vertices, and  $E = \{\{v_i, v_j\} : v_i, v_j \in V\}$  is the set of edges, where each edge is an unordered pair of vertices from the set  $V$ . In this work we consider only undirected graphs, thus each edge is represented as a set of two vertices rather than an ordered pair of vertices. In order to characterize the graph  $G$  we introduce the following centrality measures [14].

### 3.1. Centrality Measures

#### 3.1.1. Degree

The degree of the vertex  $v$  is the number of edges adjacent with  $v$ :

$$D(v) = |\{v_j \in V : \{v, v_j\} \in E\}|$$

Degree is a natural measure of vertex importance. Vertices with high degrees tend to play central roles in many networks and are considered by many to be the focal points of network functionality.

#### 3.1.2. Betweenness

Let  $p(v_i, v_j) = \langle v_i, v_{i+1}, \dots, v_{j-1}, v_j \rangle$  be a sequence of vertices such that any two consecutive vertices in the sequence form an edge in the graph  $G$ . Such a sequence is referred to as a *path* between vertices  $v_i$  and  $v_j$ . The shortest path is defined as

$$sp(v_i, v_j) = \operatorname{argmin}_p |p(v_i, v_j)|$$

The intuition behind the betweenness centrality measure is that if there are many shortest paths traversing vertex  $v$ , this vertex is important from the point of view of communication and flow through the network. Formally, the betweenness of a vertex is defined as:

$$B(v) = \sum_{v_i, v_j \neq v} \frac{|sp_v(v_i, v_j)|}{|sp(v_i, v_j)|}$$

where  $sp_v(v_i, v_j)$  denotes a shortest path between vertices  $v_i$  and  $v_j$  traversing through the vertex  $v$ . Betweenness is often considered to be a good measure of vertex importance with respect to information transmission, and vertices with the highest betweenness tend to be communication hubs which facilitate communication in the network.

#### 3.1.3. Local Clustering Coefficient

Given the vertex  $v$ , we may consider the *ego network*  $\Gamma(v)$  of  $v$  which consists of the vertex  $v$ , its direct neighbours, and all edges between them,  $\Gamma(v) = \langle V_{\Gamma(v)}, E_{\Gamma(v)} \rangle$ , where  $V_{\Gamma(v)} = \{v, v_i, v_{i+1}, \dots, v_{i+k}\} : \forall v_i \in V_{\Gamma(v)}, v_i \neq v \{v, v_i\} \in E\}$  and  $E_{\Gamma(v)} \subseteq E : \{v_i, v_j\} \in E_{\Gamma(v)} \implies v_i, v_j \in V_{\Gamma(v)}$ . An interesting characteristic of a single vertex is the connection patterns in vertex ego network. This can be expressed as the *local clustering coefficient* defined as:

$$LCC(v) = \frac{|E_{\Gamma(v)}|}{n(n-1)}$$

where  $n = |V_{\Gamma(v)}|$ . Simply put, the local clustering coefficient of a vertex  $v$  is the ratio of the number of edges in the neighbourhood of  $v$  to the maximum number of edges that could exist in this neighbourhood (i.e. if the neighbourhood of  $v$  formed a clique). The local clustering coefficient reaches its minimum when the neighbourhood of the vertex  $v$  has a star formation and its value informs how well connected are the direct neighbours of  $v$ .

### 3.1.4. Vertex Entropy

The last centrality measure computed by us for all generative network model is the vertex entropy, also known as *diversity*. The vertex entropy of the vertex  $v$  is simply the scaled Shannon entropy of the weights of all edges adjacent to  $v$ . Let  $N(v) = \{w \in V(G) : (v, w) \in E(G)\}$  denote the neighbourhood of the vertex  $v$ . Formally, vertex entropy is defined as:

$$VE(v) = \frac{-\sum_{w \in N(v)} p_{vw} \log p_{vw}}{\log D(v)}, \quad p_{vw} = \frac{w_{vw}}{\sum_{w \in N(v)} w_{vw}}$$

Vertex entropy measures for each vertex the unexpectedness of edge weights for all edges adjacent to a given vertex. This measure can also be very easily modified to measure the inequality


All these centrality measures are commonly used to describe macro-properties of various graphs. In particular, distributions of degrees, betweennesses, and local clustering coefficients are often perceived as sufficient characterizations of a graph. In the remaining part of the paper we will try to show why this approach is wrong and leads to erroneous conclusions.

## 3.2. Graph Models

Over the years several generative models for graphs and networks have been proposed. Most of these models try to propose a method of generating graphs that would display certain properties which are frequent in empirical networks. For instance, the prevalence of real-world social networks displays the power-law distribution of vertex degrees [15]. Many networks show surprising behavior when examined along the time dimension, like the shrinking diameter of the network as the number of vertices grow, or the slow densification of edges in relation to the number of vertices [16]. Generative graph models presented in the literature try to capture these behaviors of real-world networks using simple rules of edge creation and deletion. In this section we briefly overview the most popular generative graph models used in our experiments.

### 3.2.1. Random Graph

The random graph model, also known as the Erdős-Rényi model, has been first introduced by Paul Erdős and Alfréd Rényi in [17]. There are two versions of the model. The  $G(n, M)$  model consists in randomly selecting a single graph  $g$  from the universe of all possible graphs having  $n$  vertices and  $M$  edges. The second model, dubbed  $G(n, p)$ , creates the graph  $g$  by first creating  $n$  isolated nodes, and then creating, for each pair of vertices  $(v_i, v_j)$ , an edge with the probability  $p$ . Due to much easier implementation and analytical accessibility, the  $G(n, p)$  model is far more popular and this is the model we have used in our experiments. Properties of the graph generated according to the  $G(n, p)$  model depend strongly on the  $\frac{n}{p}$  ratio. If this ratio exceeds 1 (which means that the average degree of the random graph approaches 1), we observe the phenomenon of percolation in which almost all isolated components quickly merge to form a single giant component. During this merging phase the betweenness distribution changes drastically. Figure 1 presents average degree, betweenness, and clustering coefficient for a graph consisting of  $n = 50$  vertices and the probability of edge creation changing from  $p = 0.01$  to  $p = 0.1$ . Each value on the graph is an average of 50 independently generated graphs for a given  $(n, p)$

**Figure 1.** Centrality measures for random graphs

combination. We can see that the clustering coefficient remains constant, the average degree grows very slowly, but the betweenness undergoes a rapid transformation and after the percolation settles at a much higher level in the denser graph.


### 3.2.2. Small World

The small world model has been introduced by Duncan Watts and Steven Strogatz in [18]. According to this model, a set of  $n$  vertices is organized into a regular circular lattice, with each vertex connecting directly with  $k$  of its nearest neighbours. After creating the initial circle, each edge is rewired with the probability  $p$ , i.e. an edge  $(v_i, v_j)$  is preplaced with the edge  $(v_i, v_k)$  where  $v_k$  is selected uniformly from  $E$ .

The resulting graphs have many interesting features. Figure 2 presents the aggregated measures for graphs created from  $n = 250$  vertices with the neighbour size of 4 and the edge rewire probability varying from  $p = 0.001$  to  $p = 0.1$  (again, each point is the average of 50 realization of the graph for a given combination of  $(n, p)$  parameters. It is easy to see that the graphs generated according to the small world model display constant degree and local clustering coefficients (indeed, random rewiring of just a few edges do not impact these values), whereas the average betweenness tends to drop (more vertices begin acting as communication hubs when more edges become rewired). In addition, the average path length in a small world graph is small and falls rapidly with the increase of the edge rewire probability  $p$ . When  $p \rightarrow 1$  the small world graph becomes the random graph.

### 3.2.3. Preferential Attachment

There is a whole family of graph models collectively referred to as "preferential attachment" models. Basically, any model in which the probability of forming an edge to a vertex is proportional to that vertex degree can be classified as preferential attachment. The first attempt to use the mechanism of preferential

**Figure 2.** Centrality measures for small world graphs



attachment to generate artificial graphs can be attributed to Derek de Solla Price who tried to explain the process of formation of scientific citations by the advantageous cumulation of citations by prominent papers [19].

Another well-known model which utilizes the same mechanism has been proposed by Albert-László Barabási and Réka Albert [20]. According to this model, the initial graph is a full graph  $K_{n_0}$  with  $n_0$  vertices. All subsequent vertices are added to the graph one by one, and each new vertex creating  $m$  edges. The probability of choosing the vertex  $v$  as the endpoint of a newly created edge is proportional to current degree of  $v$  and can be expressed as  $p(v_i) = D(v_i) / \sum_j D(v_j)$ . The resulting graph displays the power law distribution of vertex degrees because of the quick accumulation of new edges by prominent vertices. Interestingly, the model encompasses two processes simultaneously: the graph continues to grow and new vertices are constantly added, at the same time the preferential attachment process creates hubs. The authors of the model limited each of these processes independently, resulting in graphs with either geometric or Gaussian degree distributions. Thus, graph growth or preferential attachment alone do not produce scale-free structures of power law networks.

Figure 3 shows the average degree, betweenness, and clustering coefficient for graphs consisting of  $n = 250$  vertices generated according to the Barabási-Albert model (each measurement is averaged over 50 instances of the graph generated for a given exponent  $\alpha$  (where the probability of creating an edge to a vertex  $v$  with degree  $D(v) = k$  is given as  $P(k) = Ck^{-\alpha}$ ). These results are quite misleading though, because for an individual instance the distribution of both degree and betweenness follows the power law, thus the very notion of an "average" is questionable.

#### 3.2.4. Forest Fire

This model has been introduced by Jure Leskovec *et al.* [21] and tried to explain two phenomena commonly observed in real world social networks. Firstly, contrary to popular believe, the diameter of most social networks tends to shrink as more and more vertices are added to the network. Secondly, most social networks become denser over time, i.e., the number of edges in the network grows super-linearly in the number of vertices. The forest fire model works as follows. Vertices are added sequentially to the graph. Upon arrival each vertex creates an initial edge to  $n$  vertices called *ambassadors*, which are selected uniformly randomly from the set of existing vertices. Next, with the *forward burning probability*  $p$  the newly added vertex begins to "burn" neighbours of each ambassador, creating edges to

**Figure 3.** Centrality measures for preferential attachment graphs**Figure 4.** Centrality measures for forest fire graphs

”burned” vertices. The fire spreads recursively, i.e. the burning of neighbouring vertices is repeated for every vertex to which an edge has been created. This model, according to its authors, tries to mimic the mechanism of real forest fire, but can be also easily translated into the way people find new acquaintances. Graphs generated using the forest fire model exhibit not only the densification of edges and the shrinking diameter of the graph, but also preserve the power-law distributions of in-degrees and out-degrees.

The change of centrality measures for graphs generated from the forest fire model is presented in Figure 4. The forward burning probability varies from 1% to 30% and for each value of this parameter 50 graphs are generated, each consisting of 250 vertices. As can be seen, the forest fire model generates graphs in which vertices have high betweenness and very low local clustering coefficient (the dominating structures in the graph are star-shaped). The average degree changes in a sigmoid fashion and asymptotically reaches a stable value.

#### 4. Experiments, Results and Discussion

We have performed three different experiments aiming at the evaluation of usefulness of graph entropy:

- the first experiment examines the stability of mean entropy of centrality measure distributions under varying parameter of the generative network model parameters,



- the second experiment assesses the improvement of classification accuracy of graphs when using extended measures of centrality measure entropies as features (the experiment is conducted using the k-NN algorithm),
- the third experiment explores the power of the KS-test to correctly classify a graph.

In the following sections we describe these results

#### 4.1. Stability of entropy

For each generative network model we have created 5000 instances of graphs. We have chosen 100 different values of the main parameter of a given generative model, and for each value of the main parameter we have generated 50 instances of graphs. We have conducted our experiments on graphs having 50, 250, and 1000 vertices. For the sake of clarity we will report the results for graphs with 50 vertices. All results presented in this section are averaged over these 50 realizations of a particular network model with the main parameter set. For each resulting graph realization we have computed the distribution of four centrality measures: degree, betweenness, local clustering coefficient, and vertex entropy. Then, we have computed the traditional Shannon entropy of each distribution. The results are presented below.


##### 4.1.1. Random graph model

For this model we have varied the probability of edge creation from 1% to 10%. Figure 5 presents the results. As one can see, for very low values of edge creation probability (when the resulting graph consists of several connected components) the entropy of most centrality measures is unstable, but as soon as the average degree of each vertex reaches 1, the entropy of all centrality measures quickly stabilizes. We also observe that there is little uncertainty about the vertex entropy, but the entropy of the remaining centrality measures remains relatively high (which agrees with the intuition, in a random graph the properties of each individual vertex can vary significantly from vertex to vertex).


##### 4.1.2. Small world model



Figure 6 presents the results of a similar experiment conducted for the small world network model. Here we have varied the edge rewiring probability from 0.1% to 5%, for a graph with 250 vertices. In the small world model higher values of the rewiring probability introduce more randomness to graph's structure. The vertex entropy is stable, yet noticeably higher than for the random graph model. Entropy of betweenness and local clustering coefficient distributions remain stable throughout the entire range of varying parameter. Unsurprisingly we observe that the entropy of the degree entropy grows linearly with the increase of the rewiring probability. Indeed, initially all vertices in the graph have equal degrees and no uncertainty about any vertex's degree exist, but as the rewiring probability increases, so the degrees of individual nodes change in a more random manner, influencing the entropy.

**Figure 5.** Entropy of centrality measures for random graphs



**Figure 6.** Entropy of centrality measures for small world graphs



**Figure 7.** Entropy of centrality measures for preferential attachment graphs**Figure 8.** Entropy of centrality measures for forest fire graphs

#### 4.1.3. Preferential attachment

When investigating the preferential attachment network model we have decided to change the exponent of the power-law distribution of vertex degrees from 1 to 3, and generate graphs with 250 vertices. The resulting average entropies of centrality measures are presented in Figure 7. We see that the uncertainty about centrality measure values diminishes with the increasing exponent of the degree distribution. This should come as no surprise as the higher values of the exponent lead to graphs in which preferential attachment creates just a few hubs, and the remaining degree is distributed almost equally among non-hub vertices.

#### 4.1.4. Forest fire

Finally, for the last generative model we have varied the forward burning ratio from 1% to 30%. The results of measuring the average entropy of centrality measures over 50 different realizations of each graph are depicted in Figure 8. This result is the most surprising. It remains to be examined why do we observe such sharp drop in the entropy of local clustering coefficient (and, to a lesser extend, of degree). The network displays high uncertainty about the betweenness of each vertex, but remains quite confident about the expected degree of each node.

#### 4.2. *k*-NN classification

Next, we proceed to the presentation of the results obtained from running the k-nearest neighbour algorithm to classify graphs. Here we wanted to verify if features representing the entropy of centrality measures are beneficial for graph comparison. The protocol of the experiment was the following. We have collected detailed statistics from all 15 000 graphs. Then, we have built the test set of randomly created 1000 graphs, first uniformly choosing the generative network model, and then picking a random parameter value and generating a graph. Finally, we have used the k-nearest neighbour classifier to assign each graph from the test set to one of four classes (random graph, small world, preferential attachment, forest fire). The features used to classify each graph can be divided into two sets: the original features (average degree, average betweenness, average local clustering coefficient), and entropy-related features (average vertex entropy, entropy of degree distribution, entropy of betweenness distribution, and entropy of local clustering coefficient).

When the classifier used only the original features, the accuracy of the classifier was extremely low (0.126, with the 95% confidence interval for accuracy of [0.1061, 0.1482], Table 1). Kappa statistic for the accuracy is  $\kappa = -0.1494$  which clearly shows that better classification could be achieved by chance alone.

**Table 1.** Confusion matrix, original features only

	preferential.attachment	forest.fire	small.world	random.network
preferential.attachment	0	105	156	0
forest.fire	242	41	0	279
small.world	0	92	85	0
random.network	0	0	0	0

Detailed statistics per class are presented in Table 2 (A - sensitivity, B - specificity, C - positive predictive value, D - negative predictive value, E - prevalence, F - detection rate, G - detection prevalence, H - balanced accuracy):

**Table 2.** Classification statistics, original features only

	A	B	C	D	E	F	G	H
preferential.attachment	0.00	0.66	0.00	0.67	0.24	0.00	0.26	0.33
forest.fire	0.17	0.32	0.07	0.55	0.24	0.04	0.56	0.24
small.world	0.35	0.88	0.48	0.81	0.24	0.09	0.18	0.62
random.network	0.00	1.00		0.72	0.28	0.00	0.00	0.50

Next, we have run the classifier on the full set of features, taking into consideration both original features and the features describing the entropy of centrality measures. This time the accuracy rose to 0.426 (confidence interval [0.3951, 0.4573],  $\kappa = 0.2412$ ), and the confusion matrix is presented in Table 3.

Detailed per class statistics are presented in Table 4.

Finally, we have decided to test if using entropy-related features alone would improve the accuracy of the classifier. Much to our surprise we have found that these features are far superior to original

**Table 3.** Confusion matrix, all features

	preferential.attachment	forest.fire	small.world	random.network
preferential.attachment	176	174	10	0
forest.fire	0	19	0	279
small.world	10	20	231	0
random.network	56	25	0	0

**Table 4.** Classification statistics, all features

	A	B	C	D	E	F	G	H
preferential.attachment	0.73	0.76	0.49	0.90	0.24	0.18	0.36	0.74
forest.fire	0.08	0.63	0.06	0.69	0.24	0.02	0.30	0.36
small.world	0.96	0.96	0.89	0.99	0.24	0.23	0.26	0.96
random.network	0.00	0.89	0.00	0.70	0.28	0.00	0.08	0.44

graph features, resulting in the accuracy of 0.63 (confidence interval [0.5992, 0.66]) and  $\kappa = 0.5066$ . In particular the value of the  $\kappa$  measure clearly suggests that the accuracy of the classifier is much higher to the accuracy which could be attained by chance alone (p-value for the hypothesis that the accuracy is higher than "no information rate" (which is basically the accuracy of the majority vote) is  $2.2 \times 10^{-16}$ ). However, to obtain such result we had to drop the vertex entropy feature which proved to introduce confusion and lower the results. The final confusion matrix is presented in Table 5.

**Table 5.** Confusion matrix, entropy features only

	preferential.attachment	forest.fire	small.world	random.network
preferential.attachment	137	40	0	0
forest.fire	105	183	192	18
small.world	0	0	49	0
random.network	0	15	0	261

The detailed per class statistics are presented in Table 6.

The explanation of why entropy-related features work so well is quite straightforward. Centrality measures are being averaged over all vertices in each graph. In fact, most of the generative models used in our comparison produce graphs, which differ significantly in their structure, but the differences stem primarily from a small subset of significant nodes (hubs), and for a vast majority of vertices their parameters tend to be quite similar across the models. Secondly, the parameters of graphs depend strongly on the particular value of the main parameter of each generative network model. The entropy, on the other hand, is much more stable and better describes the uncertainty of individual vertex properties. Thus, for a model in which resulting vertices may vary significantly regarding their degree or betweenness, the average value of a centrality measure might not be revealing, but the uncertainty about this value is much more descriptive for a given generative network model.

**Table 6.** Classification statistics, entropy features only

	A	B	C	D	E	F	G	H
preferential.attachment	0.57	0.95	0.77	0.87	0.24	0.14	0.18	0.76
forest.fire	0.77	0.59	0.37	0.89	0.24	0.18	0.50	0.68
small.world	0.20	1.00	1.00	0.80	0.24	0.05	0.05	0.60
random.network	0.94	0.98	0.95	0.98	0.28	0.26	0.28	0.96

### 4.3. Kolmogorov-Smirnov test

In this section we present the results of the evaluation of the power of Kolmogorov-Smirnov test to distinguish between different classes of graphs when applied to centrality measure distributions. Let us recall that given two empirical distributions  $F_1$  and  $F_2$ , the Kolmogorv-Smirnov statistic is given by:

$$D = \sup_x |F_1(x) - F_2(x)|$$

with the null hypothesis is that  $F_1$  and  $F_2$  come from the same theoretical distribution. The null hypothesis is rejected at  $p = 0.05$  when  $D > 1.36 \sqrt{\frac{n_1+n_2}{n_1n_2}}$ , where  $n_1, n_2$  are the sizes of  $F_1, F_2$ , respectively.

We have tested all generative network models and all centrality measures. The protocol of the experiment was similar to the experiment for k-NN classification. We have generated 15 000 realizations of each model, with 50 realizations per each value of the main generative model parameter and three classes of graph sizes (50, 250, and 1000 vertices). Thus, for a given graph size we had 5000 realizations generated for different values of the model parameter.

When comparing an empirical graph with a theoretical network model, a researcher usually cannot estimate reliably the exact value of the main model parameter. So, one has to compare the empirical distribution of vertex degree, betweenness, and local clustering coefficient with theoretical distributions of these measures for every possible value of the model parameter. In each experiment we have generated 50 graphs, noted their true parameter value, and counted the number of instances for which the Kolmogorov-Smirnov test correctly accepted the null hypothesis. In the following figures the x-axis represents the absolute difference between the empirical parameter value and the theoretical parameter value. For the sake of brevity we will report on the results for a single centrality measure for each generative model.

#### 4.3.1. Random network, K-S test on the degree distribution

Figure 9 presents the accuracy of the K-S test when applied to degree distributions of graphs generated from the random graph model. As can be seen, if the absolute difference between theoretical and empirical edge creation probability is small, not exceeding 0.05, the K-S test correctly accepts many realizations, but only in small networks (with 50 vertices). For networks with 250 or 1000 vertices the test fails badly and almost always rejects the correct hypothesis.

Figure 9. K-S test of degree distributions for random networks






Figure 10. K-S test of betweenness distributions for small world networks



**Figure 11.** K-S test of clustering coefficient distributions for preferential attachment networks




#### 4.3.2. Small world network, K-S test on the betweenness distribution

Figure 10 depicts the results of the K-S test of betweenness distributions. More often than not the Kolmogorov-Smirnov test correctly identifies a graph, but with larger graphs it is obvious that the matching can be performed only when the difference in the rewiring probability is small. In other words, given an empirical graph  $g$  one would correctly recognize this graph as belonging to the small world family only if the K-S test was performed with on an artificial graph with very similar rewiring probability (for a graph with 1000 vertices the difference in the rewiring probability parameter could not exceed 0.01, otherwise the K-S test will fail to identify the graph  $g$  correctly).

#### 4.3.3. Preferential attachment network, K-S test on the clustering coefficient distribution

The power of the Kolmogorov-Smirnov test to classify graphs originating from the preferential attachment generative model is presented in Figure 11. The performance of the test is erratic, it either correctly identifies every graph in the test batch, or it fails to recognize any graph, and this is observed across the entire spectrum of the power law exponent. Interestingly, almost identical behavior is observed when testing the equality of betweenness distributions, but the K-S test completely fails when testing the equality of degree distributions (for each test batch of 50 graphs it accepts at most one graph). This is particularly distressing since the classification of the graph as belonging to the preferential attachment family based solely on the inspection of degree distribution is such a common practice in the scientific community.



**Figure 12.** K-S test of degree distributions for forest fire networks

#### 4.3.4. Forest fire network, K-S test on the degree distribution

Finally, the results of the Kolmogorov-Smirnov test for the forest fire model are presented in Figure 12 where degree distributions are compared. Unfortunately, the behavior of the test is very similar to the preferential attachment model - at most two graphs out of fifty pass the K-S test at p-value of 0.05.

## 5. Conclusions

The work presented in this paper examines the usefulness of the entropy when applied to various graph characteristics. We begin by looking at the relationship between centrality measures and their entropies in various generative network models, showing how the uncertainty about the expected value of vertex degree, betweenness, or local clustering coefficient changes with respect to main model parameter. Our goal is to present a set of suggestions on how to correctly assign an empirical graph to one of popular generative network models. To do this, we look at the stability of entropy-related features of a graph, on the discriminative power of these features for classification. Finally, we examine the power of the Kolmogorov-Smirnov test of cumulative distribution similarity to identify graphs belonging to particular generative network models.

The main conclusions of our up-to-date research can be summarized as follows.

- *entropy stability*: the most stable are betweenness and clustering coefficient entropies, at least for random networks and small world networks. For preferential attachment and forest fire models these entropies tend to be more dependent on a particular value of the main model parameter. Degree entropy is unstable across all consider artificial network models.
- *k-NN classification*: mean values of centrality measures are very bad descriptors of networks for the purpose of classification. Adding features representing entropies of these centrality measures

improves the performance of the classifier, but using entropy-related features alone produced the most robust classifier.

- *Kolmogorov-Smirnov test*: at this stage it looks that the Kolmogorov-Smirnov test of similarity between cumulative distributions cannot be used with confidence to compare graphs. The results of conducted experiments suggest that the discriminative power of the test is not strong enough and that the test fails in most cases to recognize the correct family of a graph.

The research reported in this paper is not yet complete. Until now we have experimented only with artificial graphs because we could establish the ground truth (the true generative model for each graph), thus we were able to employ classification algorithms. In future we intend to examine a large spectrum of real-world networks and employ both supervised and unsupervised algorithms to group them. The experiments conducted so far found that vertex entropy was both unstable and useless from the point of view of classification. However, we have only examined the vertex entropy computed based on edge weights, and these weights were artificial. In real weighted graphs vertex entropy could prove to be quite useful. Also, we intend to modify the definition of vertex entropy to measure the unexpectedness of vertex degrees in the neighbourhood of a given vertex and verify the usefulness of such measure. Finally, we started first experiments with the algorithmic entropy (also known as the Kolmogorov Complexity) of graphs, but this measure is unfortunately extremely computationally expensive and at this stage we cannot apply it even to small graphs. We are now considering various ways in which the computation of algorithmic complexity could be simplified in order to apply it to real-world graphs.

## Acknowledgements

The work was partially supported by Fellowship co-Financed by European Union within European Social Fund, by European Union's Seventh Framework Programme for research, technological development and demonstration under grant agreement no 316097 [ENGINE].

## Conflicts of Interest

The authors declare no conflict of interest.

## References

1. Shannon, C.E. A note on the concept of entropy. *Bell System Tech. J* **1948**, *27*, 379–423.
2. Gibbs, J.W. *Elementary principles in statistical mechanics*; Courier Corporation, 2014.
3. Tsallis, C.; Levy, S.V.; Souza, A.M.; Maynard, R. Statistical-mechanical foundation of the ubiquity of Lévy distributions in nature. *Physical Review Letters* **1995**, *75*, 3589.
4. Shannon, C.E. A mathematical theory of communication. *ACM SIGMOBILE Mobile Computing and Communications Review* **2001**, *5*, 3–55.
5. Kolmogorov, A.N. New Metric Invariant of Transitive Dynamical Systems and Endomorphisms of Lebesgue Spaces. *Proceedings of the USSR Academy of Sciences* **1958**.
6. Renyi, A. Probability theory. 1970. *North-Holland Ser Appl Math Mech* **1970**.

7. Ji, L.; Bing-Hong, W.; Wen-Xu, W.; Tao, Z. Network entropy based on topology configuration and its computation to random networks. *Chinese Physics Letters* **2008**, *25*, 4177.
8. Solé, R.V.; Valverde, S. Information theory of complex networks: On evolution and architectural constraints. In *Complex networks*; Springer, 2004; pp. 189–207.
9. Körner, J. Fredman–Kömlös bounds and information theory. *SIAM journal on algebraic and discrete methods* **1986**, *7*, 560.
10. Dehmer, M. Information processing in complex networks: Graph entropy and information functionals. *Applied Mathematics and Computation* **2008**, *201*, 82–94.
11. Riis, S. Graph entropy, network coding and guessing games. *arXiv preprint arXiv:0711.4175* **2007**.
12. Gadouleau, M.; Riis, S. Graph-theoretical constructions for graph entropy and network coding based communications. *Information Theory, IEEE Transactions on* **2011**, *57*, 6703–6717.
13. Simonyi, G. Perfect graphs and graph entropy. An updated survey. *Perfect graphs* **2001**, pp. 293–328.
14. Wasserman, S.; Faust, K. *Social network analysis: Methods and applications*; Vol. 8, Cambridge university press, 1994.
15. Clauset, A.; Shalizi, C.R.; Newman, M.E. Power-law distributions in empirical data. *SIAM review* **2009**, *51*, 661–703.
16. Leskovec, J.; Kleinberg, J.; Faloutsos, C. Graphs over time: densification laws, shrinking diameters and possible explanations. Proceedings of the eleventh ACM SIGKDD international conference on Knowledge discovery in data mining. ACM, 2005, pp. 177–187.
17. Erdős, P.; Rényi, A. On the evolution of random graphs. *Publ. Math. Inst. Hungar. Acad. Sci* **1960**, *5*, 17–61.
18. Watts, D.J.; Strogatz, S.H. Collective dynamics of 'small-world' networks. *Nature* **1998**, *393*, 440–442.
19. de Solla Price, D. A general theory of bibliometric and other cumulative advantage processes. *Journal of the Association for Information Science and Technology* **1976**, *27*, 292–306.
20. Barabási, A.L.; Albert, R. Emergence of scaling in random networks. *science* **1999**, *286*, 509–512.
21. Leskovec, J.; Kleinberg, J.; Faloutsos, C. Graph evolution: Densification and shrinking diameters. *ACM Transactions on Knowledge Discovery from Data (TKDD)* **2007**, *1*, 2.

© 2015 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).