

# Preparation of SERS substrate in microfluidic chips and its application for dopamine detection

Li Lang<sup>1</sup>, Wang Zhuyuan<sup>2,\*</sup>, Cui Yiping<sup>3,\*</sup>

<sup>1</sup>Advanced photonics center, southeast university, Nanjing, China

<sup>2</sup>Advanced photonics center, southeast university, Nanjing, China

<sup>3</sup>Advanced photonics center, southeast university, Nanjing, China

\* Email: wangzy@seu.edu.cn; Tel: +86-025-8379-2470 Ext: 8202

\* Email: cyp@seu.edu.cn; Tel: +86-025-8379-2470 Ext: 8208

**Abstract** This paper reports the preparation of SERS substrate in microfluidic channels by electrostatic assembly, and quantitative detection of dopamine for high sensitivity and uniformity was achieved by using of the microfluidic-SERS system .

A schematic view of the microfluidic-SERS system is illustrated in Figure 1. Firstly, silver nanostars were prepared by reducing silver nitrate with hydroxylamine and sodium citrate<sup>[1]</sup>, and the TEM image is shown in figure 2. Then stable and sensitivity SERS substrate was successfully prepared in microfluidic chips by the electrostatic interaction between positively charged PDDA and negatively charged Ag nanostars. 4-MBA was selected as a raman reporter to test the sensitivity and reproducibility of the substrate.

Dopamine is a kind of important neurotransmitters in the body, which is able to adjust the mood of individuals, and it is proved that diseases such as Parkinson's disease and depression is associated with dopamine levels in the human body<sup>[2,3]</sup>. Understand the exact dopamine concentrations in the human body can help the treatment of diseases such as Parkinson's disease. using the prepared microfluidic-SERS system described above, we have successful achieved label-free detection of dopamine. Utilizing 4-MBA as raman reporter, Aptamer-based dopamine qualification was also applied in this system, figure 3 shows the result which exhibit high sensitivity and wide linear range from picomolar to micromolar concentration.

## Acknowledgment

This research was supported by the State Key Program of National Natural Science of China (Grant No. 61535003), the Excellent Youth Foundation of Jiangsu Province (BK20140023) and the National Key Basic Research Program of China (Grant No. 2015CB352002).

## Reference

- [1] Garcia-Leis A, Garcia-Ramos J V, Sanchez-Cortes S. Silver nanostars with high SERS performance[J]. The Journal of Physical Chemistry C, 2013, 117(15): 7791-7795.
- [2] Tang L, Li S, Han F, et al. SERS-active Au@ Ag nanorod dimers for ultrasensitive dopamine detection[J]. Biosensors and Bioelectronics, 2015, 71: 7-12.
- [3] Wang P, Xia M, Liang O, et al. Label-free SERS selective detection of dopamine and serotonin using graphene-Au nanopyramid heterostructure[J]. Analytical chemistry, 2015, 87(20): 10255-10261.




Fig. 1. Schematic diagram of the preparation of SERS substrate in microfluidic channels.




Fig. 2. TEM image of silver nanostars.




Fig. 3. SERS spectrum for different DA concentration.