



1 Conference Proceedings Paper

Geological materials as cultural markers of water

3 resources

- 4 Carlos Alves 1,*, Carlos Figueiredo 2, Jorge Sanjurjo-Sánchez 3 and Ana C. Hernández 3
- 5 Published: date

10

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

- 6 Academic Editor: name
- LandS/Lab2PT-Landscapes, Heritage and Territory laboratory (FCT-UIDB/04509/2020) and Earth Sciences
 Department/School of Sciences, University of Minho, Braga, Portugal; casaix@dct.uminho.pt
 CERENA—Centro de Recursos Naturais e Ambiente, FCT-UIDB/04028/2020, DEcivil, Instituto Superior
 - ² CERENA—Centro de Recursos Naturais e Ambiente, FCT-UIDB/04028/2020, DEcivil, Instituto Superior Técnico, University of Lisbon, Lisbon, Portugal; carlos.m.figueiredo@ist.utl.pt
- Instituto Universitario de Xeoloxía, Universidad de la Coruña, ESCI, Campus de Elviña, A Coruña, Spain;
 jorge.sanjurjo.sanchez@udc.es
 - * Correspondence: casaix@dct.uminho.pt; Earth Sciences Department/School of Sciences, University of Minho, Braga, Portugal.

Abstract: Water has always been a critical resource for humans and climate change could aggravate supply problems. In this context, groundwater could be an important reservoir of water, especially given the dispersion of places where it can be obtained and the widespread occurrence of surface marks (springs). Historically, places where groundwater is available have been marked by humans using built structures, with stone materials having a major role. These cultural objects tend to become a part of the collective memory and the historical record (when available) and frequently they stay on the original site along time (hence "marking a spot" for groundwater). However, the development of major water supply structures, especially in the 20th century, promoted an overlook of these ancient water sources. We present a general defense of the importance of recording and preserving cultural stone related to water sources, preferably in the original sites. Conservation of groundwater related structures could help in the future exploration of this geological resource and converge with historical information on the fountains' discharge, with geological studies of the terrains and geochemical features of the groundwaters involved, in order to characterize the hydrogeological systems and their potential future use (including the preservation of water quality and properties). These studies could promote a synergetic conservation of both heritage and water.

Keywords: groundwater; water supply; climate change; conservation of cultural stone; historical and archaeological sources of information; urban planning, synergetic conservation.

32 33

34

35

36

37

38

39

40

41

42

43

44

1. Introduction

Water has always been a critical resource for human groups and climate change could aggravate supply problems.

This is an issue that could have affected humanity in the past and it has been postulated that human development at the end of the Bronze age in some areas was affected by their increased aridity [1].

In this context, groundwater could be an important reservoir of water, especially given the dispersion of places where it can be obtained (namely springs) and in many places the multitude of historical structures built with the aim of allowing water consumption.

Historically, places where groundwater is available have been marked by humans using built structures, with stone materials having a historically major role. These cultural objects tend to The 3rd International Electronic Conference on Geosciences, 7 - 13 December 2020

become a part of the collective memory and the historical record (when available) and frequently they stay on the original site along time (hence "marking a spot" for groundwater).

However, the development of major water supply structures, especially in the 20th century, promoted an overlook of these ancient water sources.

Nonetheless, there are several examples showing the present pertinence of these dispersed water supplies (not limited to stone structures) such as a recent study (2019) regarding water quality in fountains [2]. In their short history of fountains, Juuti et al. [3] mention the spread since the beginning of the present century of "water kiosks" that aimed to provide public drinking water and which could help to reduce plastic waste. There are even examples in the general press, as this example from the Washington Post discussing environmental and health issues associated with the decline of trust in public fountains [4].

One can find diverse works relating water resources to heritage such as the already referred work by Juuti et al. [3], several works presented in [5] and the Water Shapes project [6], which will be cited on several specific points of our discussion in the next section

We attempt to present here a general defense of the importance of recording and preserving cultural stone related to groundwater sources, focused on examples from Braga (NW Portugal) and surrounding places. Braga is town with a rich historical past from roman times (when it was known as *Bracara Augusta*) and with a wide-ranging heritage among which one can highlight the Braga cathedral (41.55° N, -8.43° W). It is placed mostly on granite terrains and granite is an important material in heritage elements (as will be illustrated here in relation specifically to groundwater). More historical information on Braga, focused on water supply to the town can be found in Martins et al. [6].

The results of the discussion presented in the next section will be the basis for our proposals for stone heritage preservation presented in the final considerations.

3. Discussion

We are considering here geological materials in a very wide sense, comprising both the terrains that are the water source or through which water structures are placed, as well as those materials used for building the water supply structures, with a special highlight for natural stone, a material with a particular importance in water-related historical structures. While we will essentially focus on stone/rock structures, due to our global (geological) research interests, the considerations presented here will be also pertinent for structures with many other materials.

The assessment of ancient information on water resources needs to consider both the material evidence and the written sources, as illustrated by the discussion concerning water supply to Braga presented in Martins et al. [6]. Here we are concerned with the special importance of the material record, given our research experience. But we might add that historical documents can be affected by human features, e.g., second-hand information that might not only be inaccurate but even fantasized. In relation to the elements of the material evidence one can expect that they will be "free of intentional misrepresentation", to adapt a sentence used by Lyell for geological bodies [7].

However, geologists must be aware, in relation to this subject, that some elements of the material record (namely fountains) can be misleading when they are not be in the original place and there is no documental record of their displacement. In contrast with traditional geological studies, the displacement of these materials will frequently not be due to geological phenomena, excepting those displacements related to, for example, earthquakes, tsunamis, sea rise and mass movements (in these cases there are, generally, other evidences of the geological action).

The material record concerning groundwater includes diverse structures such as wells, fountains, aqueducts, etc., made in stone and other geological materials that can persist in time. In Braga, for example, there is wide assortment of water fountains and a major water distribution system. Water supply was frequently celebrated and the very elaborated stonework that is found in many fountains (as shown in Figure 1) is a memento of that importance. Some examples can be found in the middle of intense urban development. One of the most interesting examples is the Idol's

fountain that is considered to exist since before the romans [6] and where there are carvings on a granite outcrop around a spring. These carvings have been related to the cult of a local deity [6]. One can also found more recent examples associated with religious motifs (Figure 1b).

It was possible in the context of a project of the first author also to recognize the existence of several wells in the center of Braga (albeit we do not make the distinction of those that were made in stone).





Figure 1. Examples of fountains in Braga, showing elaborated stonework in granite and its presence in the highly developed urban context (a) and association with religious context (b), which is also located in a highly urbanized setting (not visible in the image).

A much more elaborated example is the 7 fountains distribution system, which is hypothesized to be based on a previous roman structure and much developed afterwards (see historical information in [6]). This water system collects water from several groundwater sources and presents an extensive and diverse stone heritage, including underground reservoirs, galleries, and surface stone channels (see Figure 2). Martins et al. [6] highlight that the many works in the 7 fountains water distribution system and its resilience to the present day show the area potentialities regarding water resources (related to groundwater sources). The persistence of water supply from this system could have helped to preserve it (personal communication from Ricardo Silva) in an area that was expected to be subjected to intense urban development.

Besides these major water distribution systems, one can also find small structures scattered among human settlements as illustrated by the water structure shown in Figure 3. Some of them seem to be currently abandoned but the materials used (stone) and perhaps their position in small settlements have helped to ensure their preservation. There are more modern examples of water systems that were closed and them recovered, such as the Old Croton Aqueduct in New York that was closed in 1955 and partially reopened in 1987 [8]. There has been cases, such as the so called "ferrous waters" in Fraião, Braga (NW Portugal) that were dismounted and relocated keeping the water supply; however this last case might be illustrative of the problems associated as it seems that the present water supply has very different characteristics from the previous ones characterized in Lima et al. [9].

These different structures for water supply could be useful for chemical and physical characterization and monitoring of groundwater quality and quantity, especially those linked to in situ water occurrences such as wells and fountains linked to springs. According to Meran et al. [10], Humboldt, during his voyages in Venezuela, hypothesized that the drying of springs and drought in a region could be related to its deforestation.




Figure 2. Illustrative images of the 7 fountains water system in Braga (NW Portugal), showing an extensive use of stone for collecting water in underground reservoirs (a), and underground (b) and surface distribution channels (c). Image in (d) shows a detail of the stone pieces used for surface water channels and one of the stations used for the control and manutention of the system known locally as "Mãe d'água" (there **have** been conservation **interventions** in these stations but this older image illustrates the extensive use of stone on these structures).

In Braga, the Idol's fountain is a clear reminder of the sensitivity of water resources; it had plenty of water in the beginning of this century but has dried up since then. The historical wells in Braga were included in the geochemical characterization of the urban groundwater of this town, albeit in the perspective of assessing their potential impact in the historical built heritage in stone [11]. The water distribution system of the 7 fountains has allowed the preparation of studies of the groundwaters that feed this system concerning both the hydrodynamical characteristics [12] and the geochemistry and water quality [13].

There are several examples of synergetic conservation proposals for ecological resources [14,15], as well as for energy and water [16]. There are also examples involving the perspectives of geological heritage, mineral resources and the structures used for their exploitation [17]. This synergetic conservation approach could be useful for the conservation of geological resources such as groundwaters and the terrains that hosted them, as well as for the historical heritage that was

 made to supply these hydric resources, as is illustrated by many examples around the world, such as, for example, those considered in the references mentioned previously in this work.







Figure 3. Small water structure in stone located in the outskirt of the town of Braga (a) with detail of its inside (b).

4. Final considerations

Hopefully, the present work has contributed to the development of a synergetic conservation approach to geological objects, in this case, geological materials used for building historical water supply structures and the groundwater resources that fed or feed them.

The last case is especially interesting, since water supply use will be perhaps the best safeguard against the destruction by urban development of this kind of heritage. Hence, searching for and developing uses for the water resources in these structures could be a key element in their conservation. In fact, as some examples in Braga illustrate, historical structures related to groundwater exploitation could be integrated in the urban development and contribute to valuing it.

Groundwater-related heritage can be seen as a potential exploration tool for hydric resources that were used in the past and that might be recovered for future use. This should converge with historical information both on location (since some built elements could be presently displaced in relation to the original site) and on the systems' discharge, with geological studies of the terrains and geochemical features of the groundwaters involved, in order to characterize the hydrogeological systems and their potential future use (including the preservation of water quality and properties).

These issues should be vital factors in urban planning for the future in order to preserve water resources and related structures that might become essential due to climatic alterations.

Acknowledgements: The Lab2PT-Landscapes, Heritage and Territory laboratory - UIDB/04509/2020 is supported by the Portuguese FCT - "Fundação para a Ciência e a Tecnologia". The authors also gratefully acknowledge the support of the CERENA (funded by a strategic project of the FCT-UIDB/04028/2020) and the LAMPIST of the DECivil, Instituto Superior Técnico, University of Lisbon, Portugal. The University Institute of Geology of the University of A Coruña (Spain) receives support from the Xunta de Galicia from the program "Consolidación y estructuración de unidades de investigación competitivas: Grupos de potencial de crecimiento" (ED431B 2018/47) and Redes de investigación (R2017/008). We also thank the IACOBUS Program from the European Strategic Group of Territorial Cooperation Galicia/North of Portugal for support for the last author. Regarding the 7 fountains system, the first author thanks Ricardo Silva ("Junta de Freguesia de São Victor") for showing this system, the "Câmara Municipal de Braga" for allowing access to it and to Dr. Alberto Lima for helping in understanding its link to groundwater.

Author Contributions: All authors contributed to the present paper.

- 185 Conflicts of Interest: The authors declare no conflict of interest. The founding sponsors had no role in the
- design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript, and in
- the decision to publish the results.

188 References

- 1. Jorgensen, D.G.; Yasin al-Tikiriti, W. A hydrologic and archeologic study of climate change in Al Ain,
 United Arab Emirates. Global and Planetary Change 2003, 35, 37–49, doi:10.1016/S0921-8181(02)00090-5.
- 191 2. Birgin Iritas, S.; Ali Turksoy, V.; Deniz, S.; Kocoglu, S.; Kirat, G.; Can Demirkesen, A.; Baba, A. A quality 192 assessment of public water fountains and relation to human health: a case study from Yozgat, 193 Turkey. Water and Environment Journal 2019, 33, 518–535, doi:10.1111/wej.12422
- Juuti, P.; Antoniou, G.; Dragoni, W.; El-Gohary, F.; De Feo, G.; Katko, T.; Rajala, R.; Zheng, X.; Drusiani, R.;
 Angelakis, A. Short Global History of Fountains. Water 2015, 7, 2314–2348, doi:10.3390/w7052314
- 196 4. https://www.washingtonpost.com/opinions/we-dont-trust-drinking-fountains-anymore-and-thats-bad-fo 197 r-our-health/2015/07/02/24eca9bc-15f0-11e5-9ddc-e3353542100c_story.html
- 198 5. Hein, C. Adaptive Strategies for Water Heritage: Past, Present and Future; 2020; ISBN 978-3-030-00268-8.
- 6. Martins, M., Meireles, J., Ribeiro, M. D. C. F., Magalhães, F., & Braga, C. (2012). The water in the city of Braga from Roman Times to the Modern Age. In Genovese, L.; Porfyriou, H. Water shapes: strategie di valorizzazione del patrimonio culturale legato all'acqua; pp. 65-80; Palombi: Roma, 2012; ISBN 978-88-6060-457-6
- 203 7. Lyell, C. Principles of Geology or, the Modern Changes of the Earth and Its Inhabitants Considered as Illustrative of Geology, 9th ed.; D. Appleton & Company: New York, NY, USA, 1854.
- 205 8. https://aqueduct.org/oca-history

206

207

208

209

212

213

214

216

217

218

219

220

221

222

223

224

225

226

227

228

229

- 9. Lima, A.S.; Pamplona, J.V.; Alves, C.S. Silva, M.O. Ocorrência discreta de águas férreas em Fraião–Braga, NW de Portugal: modelo hidrogeológico conceptual. 4º Congresso da Água, Lisbon, Portugal, 1998. Available online at https://www.aprh.pt/congressoagua98/files/com/055.pdf (accessed on 18 November 2020).
- Meran, G.; Siehlow, M.; von Hirschhausen, C. The Economics of Water: Rules and Institutions; 2020;
 ISBN 978-3-030-48485-9. https://doi.org/10.1007/978-3-030-48485-9_1
 - 11. Moreno, F.; Gonçalves, J.C.; Antunes, S.; Lima, A.S.; Alves, C. Caracterização química das águas subterrâneas da cidade de Braga (NW de Portugal): Implicações para o património edificado em pedra. IV Congresso Ibérico de Geoquímica, Coimbra, Portugal, 2003, pp. 316–318.
- 215 12. http://hdl.handle.net/1822/22803
 - 13. Costa, R.F.G.Caracterização hidrogeoquímica do sistema de captação das Sete Fontes: origem da mineralização e qualidade da água. MSc dissetation, University of Minho, 2012.
 - 14. Salvatori, V. (2002). The development of an ecological network in the Carpathian Ecoregion: identification of special areas for conservation of large carnivores. Council of Europe T-PVS/Inf (2002), 27, 1-12.
 - 15. Swarna Nantha, H.; Tisdell, C. The orangutan–oil palm conflict: economic constraints and opportunities for conservation. Biodivers Conserv 2009,18, 487–502, doi:10.1007/s10531-008-9512-3
 - 16. Shao, S.; Yang, Z.; Yang, L.; Zhang, X.; Geng, Y. Synergetic conservation of water and energy in China's industrial sector: From the perspectives of output and substitution elasticities. *Journal of Environmental Management* **2020**, 259, 110045, doi:10.1016/j.jenvman.2019.110045.
 - 17. Gomes, C.L.; Alves, R.C.; Bento, V.; Vilaverde, A.; Valente, T.M.F.; Lima, F. Recursos e património geológico e mineiro. In Alonso, J.M. As condições naturais e o território de Ponte de Lima; pp. 87-127; Município de Ponte de Lima: Ponte de Lima, 2008; ISBN 978-972-8846-17-6. http://hdl.handle.net/1822/30662



© 2020 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons by Attribution (CC-BY) license (http://creativecommons.org/licenses/by/4.0/).